International Journal of Engineering Research and Science & Technology

www.ijerst.org

ISSN : 2319-5991

Vol. 21 No. 4 (2025)



ijerst.editor@gmail.com

editor@ijerst.com

International Journal of Engineering Research and Science & Technology

ISSN 2319-5991 www.ijerst.com
Vol. 21, No. 4, 2025
© 2025 IJERST. All Rights Reserved

Research Paper

VERTIGO IDENTIFICATION AND PREDICTION

Chunchikala Nandhini
Scholar. Department of MCA
Vaageswari College of Engineering, Karimnagar

Dr.B.Anveshkumar
Assistant Professor
Vaageswari College of Engineering, Karimnagar

Dr. P. Venkateshwarlu
Professor & Head, Department of MCA
Vaageswari College of Engineering, Karimnagar
(Affiliated to JNTUH, Approved by AICTE, New Delhi & Accredited by **NAAC** with '**A+**' Grade)
Karimnagar, Telangana, India – 505 527

ABSTRACT

Background: Vertigo is a common and often debilitating symptom reflecting disorders of the vestibular system. While clinical identification of vertigo causes (such as peripheral vs. central vestibular dysfunction) is well-developed, there remains a gap in predicting episodes of vertigo, particularly in recurrent conditions like Benign Paroxysmal Positional Vertigo (BPPV) or Menière's disease. Advances in sensor technologies and machine-learning offer new opportunities for forecasting vertigo risk.

Objective: This study aims to (1) develop a systematic clinical workflow for the identification of vertigo etiology, and (2) build and validate a predictive model that forecasts short-term risk of vertigo episodes using a combination of clinical, sensor-derived and environmental data.then applies bio-inspired algorithms to identify the most significant features influencing heart disease risk. Selected features are subsequently fed into classification models, including Support Vector Machines (SVM), Decision Trees, and Neural Networks, to predict the likelihood of heart disease. Experimental results demonstrate that bio-inspired algorithms improve feature selection efficiency, reduce computational complexity, and enhance the overall accuracy, sensitivity, and specificity of heart disease prediction models. This approach provides a robust decision-support tool for medical professionals, enabling timely diagnosis and improved patient care.

Keywords: Vertigo, Nystagmus, Vestibular Disorders, Machine Learning, Deep Learning, Diagnosis, Prediction, Video Analysis, Clinical Decision Support, Automated Detection

Received: 18-09-2025 Accepted: 21-10-2025 Published: 28-10-2025

1.INTRODUCTION

Vertigo is a distinct clinical phenomenon characterized by a false sensation of motion — either of oneself or of the environment — that is not actually occurring. ucsfhealth.org+1 This sensation arises when the complex systems responsible for spatial orientation and balance become disrupted.

At the heart of our balance system lies the vestibular system, which includes peripheral components (in the inner ear: the utricle, saccule, and three semicircular canals) and central neural pathways in the brainstem and cerebellum. Kenhub+2PubMed Central+2 Under normal conditions, this system processes information about head movement (rotational and linear), gravity, and spatial orientation. VERTIGOHEEL+1 When the vestibular input is mismatched, disrupted, or asymmetrical — for example due to disease, trauma, or degeneration — the brain interprets this as motion, hence the sensation of vertigo. PubMed+1

Vertigo is not a disease in itself but a **symptom** of underlying vestibular system dysfunction. It can stem from peripheral causes (inner ear or vestibular nerve) Traditional diagnostic methods rely on **clinical evaluation**, including patient history, symptom assessment, and vestibular tests such as the HINTS test, Dix–Hallpike maneuver, caloric testing, and videonystagmography (VNG). While effective when performed by skilled specialists, these methods are often **time-consuming**, require **specialized equipment**, and are prone to **human error**, leading to potential misdiagnosis.

Recent advancements in **machine learning (ML)** and **deep learning (DL)** offer new possibilities for automated vertigo detection and prediction. By analyzing patient symptoms, clinical data, and eye-movement videos, intelligent algorithms can detect abnormal patterns such as **nystagmus**, classify the type of vertigo, and even predict potential recurrence. This data-driven approach aims to **enhance diagnostic accuracy, reduce reliance on specialists, and support real-time or remote assessment**, ultimately improving patient care and outcomes.

2.LITERATURE REVIEW

This section surveys existing academic work on the identification and prediction of vertigo — covering clinical diagnosis, epidemiology, and the emerging use of machine-learning/data-driven models. It highlights key findings, methodological gaps, and future research directions. Vertigo is a common condition caused by disturbances in the vestibular system, leading to dizziness and imbalance. Accurate identification and prediction are essential to differentiate between peripheral and central causes such as Benign Paroxysmal Positional Vertigo (BPPV), vestibular neuritis, and stroke.

Traditionally, diagnosis relies on **clinical evaluation** using tests like **HINTS (Head Impulse, Nystagmus, Test of Skew)**, caloric testing, and videonystagmography (VNG). However, these methods depend heavily on clinician expertise and specialized equipment, which limits accessibility and consistency.

Recent studies explore **machine learning (ML)** and **deep learning (DL)** for automated vertigo identification and prediction. ML models using patient symptoms, medical history, and vestibular test data (e.g., SVM, Random Forest) have shown promising accuracy in classifying vertigo types. Deep learning models analyze eye-movement videos to detect **nystagmus** and identify the affected semicircular canal with high pre

3. EXISTING SYSTEM

In the existing system, vertigo diagnosis primarily relies on manual clinical assessment and specialized vestibular tests. Physicians use patient history, physical examination, and diagnostic procedures such as the HINTS test, caloric test, Dix Hallpikemaneuver, and video stagmography (VNG) to identify the type and cause of vertigo.

Although these traditional methods can be accurate when performed by experts, they are time-consuming, require specialized equipment, and are often subject to human error. Many healthcare facilities, especially in rural areas, lack access to advanced diagnostic tools or trained specialists. As a result, misdiagnosis between peripheral and central vertigo remains common.

Additionally, the existing systems do not incorporate automated prediction or data-driven analysis, limiting their ability to detect subtle patterns or predict recurrence risks. There is also minimal integration of digital tool In the existing system, vertigo is primarily diagnosed through manual clinical evaluation. Physicians rely on patient history, symptom description, and specialized tests such as the HINTS test (Head-Impulse, Nystagmus, Test of Skew), Dix–Hallpike maneuver, caloric testing, and video stagmo graphy (VNG). These methods help distinguish between peripheral and central causes of vertigo.

Although these techniques can be accurate when performed by trained specialists, they have several limitations. They are time-consuming, require specialized equipment, and depend heavily on the examiner's expertise. Misdiagnosis is common, especially in primary care or rural settings where access to advanced vestibular tests is limited. Additionally, traditional systems do not use automated prediction or intelligent analysis, which limits their ability to detect subtle patterns, provide early alerts, or support remote monitoring.

4.PROPOSED SYSTEM

The proposed system uses machine learning and deep learning techniques to automatically identify and predict vertigo conditions. It analyzes patient symptoms, medical data, and eye-movement videos to detect abnormal patterns such as nystagmus and classify vertigo types.By integrating data-driven algorithms, the system provides faster, more accurate, and objective diagnosis compared to manual methods. It can also support real-time monitoring and remote assessment, reducing dependence on expert availability and specialized equipment. Key Features of the Proposed System:

1. Data Collection:

- Gathers patient information including medical history, symptoms, and past episodes of vertigo.
- Captures eye-movement videos during specific tests like the Dix–Hallpike maneuver to detect nystagmus.

2. Preprocessing and Feature Extraction:

- Cleans and normalizes data to remove noise and irrelevant information.
- Extracts significant features such as nystagmus direction, amplitude, and frequency, along with symptom patterns.

3. Machine Learning & Deep Learning Analysis:

- Uses classification algorithms (SVM, Random Forest) and deep learning models (CNN, LSTM) to identify the type of vertigo.

5.METHODOLOGY


The proposed system collects patient data, including symptoms, medical history, and eye-movement videos. The data is preprocessed to remove noise and extract key features such as nystagmus direction and frequency.

These features are then fed into machine learning and deep learning models (e.g., CNN, SVM) to classify vertigo types and predict possible causes. The system is trained and tested using labeled datasets to ensure accuracy and reliability. Finally, the model provides the predicted diagnosis and assists doctors in decision-making.


The proposed system collects patient information, including medical history, symptoms, and eye-movement videos during vestibular tests such as the Dix–Hallpike maneuver. The data is preprocessed to remove noise, normalize values, and convert video frames into analyzable features by tracking pupil and eye movements. Key features such as nystagmus direction, speed, amplitude, duration, and symptom patterns are extracted to form a structured dataset. Machine learning models like Random Forest and SVM are applied to clinical data, while deep learning models such as CNN and LSTM are used for video-based analysis. The models are trained and validated using labeled datasets and evaluated with metrics including accuracy, precision, recall, and F1-score. Finally, the system integrates these outputs to classify vertigo types, predict potential causes, and provide decision support to clinicians, enabling faster, accurate

6.SYSTEM MODEL

SYSTEM ARCHITECTER




7. RESULTS AND DISCUSSIONS





International Journal of Engineering Research and Science & Technology



















8.

8.CONCLUSION

The proposed system provides an efficient and accurate method for identifying and predicting vertigo using machine learning and deep learning techniques. It reduces human error, improves diagnostic speed, and supports remote healthcare. This intelligent approach helps doctors make reliable decisions and enhances patient care through early detection and prevention of vertigo episodes. It helps in reducing diagnostic delays, minimizing human errors, and supporting real-time or remote assessment of patients. The model's predictive capability also assists in monitoring patient progress and estimating the likelihood of recurrence.Overall, the system enhances the efficiency of vertigo diagnosis, improves decision-making for healthcare professionals, and contributes to better patient outcomes through early detection and data-driven prediction

Additionally, the system supports remote and real-time assessment, making it useful in telemedicine applications and in areas with limited access to

specialists. Its predictive capability allows for early detection of potential vertigo episodes and estimation of recurrence risk, which can help in planning timely interventions and improving patient outcomes.

Overall, the system represents a significant step toward data-driven healthcare for vestibular disorders. By combining clinical data and video analysis with intelligent algorithms, it enhances the decision-making process for healthcare professionals and contributes to more efficient and reliable management of vertigo. With further validation and large-scale deployment, this approach has the potential to transform vertigo diagnosis and patient care.

9. REFERENCES

1. Kabade, V., & Kotecha, K. (2021). Machine Learning Techniques for Vertigo Identification and Classification: A Review. **Sensors**, 21(17), 5754.
2. Mun, S. B., et al. (2024). Deep Learning-Based Nystagmus Detection for Benign Paroxysmal Positional Vertigo Diagnosis. **Sensors**, 24(2), 650.
3. Cho, C., et al. (2024). Real-Time Video-Based Nystagmus Tracking Using Convolutional Neural Networks. **Frontiers in Neurology**, 15, 1258.
4. Wüthrich, M., et al. (2023). Diagnostic Accuracy of Spontaneous Nystagmus for Differentiating Central and Peripheral Vertigo: A Systematic Review. **Frontiers in Neurology**, 14, 1198336.
5. Zhao, Y., et al. (2025). An Integrated Machine Learning Model for Vertigo Diagnosis Using Clinical and Video Data. **IEEE Access**, 13, 67821–67833.
6. Strupp, M., & Brandt, T. (2018). Diagnosis and Treatment of Vertigo and Dizziness. **Deutsches Ärzteblatt International**, 115(29–30), 505–516.
7. Newman-Toker, D. E., & Edlow, J. A. (2015). TiTrATE: A Novel, Evidence-Based Approach to Diagnosis