International Journal of Engineering Research and Science & Technology

www.ijerst.org

ISSN : 2319-5991

Vol. 22 No. 1 (2026)



ijerst.editor@gmail.com

editor@ijerst.com

International Journal of Engineering Research and Science & Technology

ISSN 2319-5991 www.ijerst.com
Vol. 22, No. 1, 2026
© 2026 IJERST. All Rights Reserved
Peer Reviewed, Referred & Indexed Journal

Research

A SENSOR-BASED SMART INTERFACE FOR COMMUNICATION OF SPEECH AND MOBILITY IMPAIRED INDIVIDUALS

DR.V. SRIDHAR[1], ALUVALA JYOTHI[2], BANDARI SAMPATH KUMAR[3], RUDRAPALA VAISHNAVI[4], VUBBAPALLI MAHENDAR[5]

HOD[1], UG SCHOLAR[2,3,4&5]

sridhar463@gmail.com[1],aluvalajyothipatel@gmail.com[2],bandarisampathkumar2356@gmail.com[3], rudrapalavaishnavi@gmail.com[4],vubbapallimahendar@gmail.com[5]

DEPARTMENT OF ECE, PALLAVI ENGINEERING COLLEGE (UGC AUTONOMOUS) AFFILIATED BY JNTUH, HYDERABAD KUNTLOOR(V), HAYATHNAGAR (M), HYDERABAD, R.R. DISTRICT -501505

ABSTRACT

Communication barriers significantly affect individuals with speech and mobility impairments, limiting their ability to interact effectively with others. Assistive technologies can help bridge this communication gap by converting physical gestures into meaningful messages. This paper presents a sensor-based smart interface designed to assist speech and mobility impaired individuals in communicating with caregivers and others. The proposed system uses motion sensors, a microcontroller unit, and a wireless communication module to interpret user gestures and convert them into text or speech output. The system improves accessibility by providing an affordable and easy-to-use communication platform. Experimental results demonstrate that the proposed system effectively interprets gesture-based inputs and provides real-time communication support, making it suitable for healthcare and assistive technology applications.

Keywords: Assistive Technology, Human–Machine Interface, MEMS Sensor, Speech Impairment, Mobility Impairment, Smart Communication System.

1. INTRODUCTION

Communication is a fundamental aspect of human interaction. However, individuals suffering from speech and mobility impairments often face significant challenges in expressing their needs and emotions. These limitations can arise due to conditions such as paralysis, cerebral palsy, neurological disorders, or accidents that affect speech and movement. Traditional communication methods for such individuals include sign language, communication boards, and manual assistance from caregivers. While helpful, these methods may not always be effective in emergency situations or when caregivers are not nearby. Advancements in embedded systems and sensor technologies have enabled the development of assistive communication devices that translate physical gestures into digital signals. These signals can then be converted into audio or text messages to facilitate communication. This research proposes a sensor-based smart interface that utilizes motion sensors and microcontroller technology to capture hand gestures or movements from users and convert them into understandable messages. The system provides a reliable and cost-effective solution for assisting speech and mobility impaired individuals in communicating their needs efficiently.

2. LITERATURE REVIEW

Several research efforts have been made to develop assistive technologies for individuals with disabilities.

Gesture recognition systems using accelerometers and gyroscope sensors have been widely explored to interpret hand movements. Some researchers have developed glove-based communication systems where sensors detect finger movements and translate them into text or speech outputs.

Other studies focus on brain-computer interfaces (BCI), which interpret brain signals to generate commands for communication devices. Although

these systems are effective, they are often expensive and complex to implement.

Microcontroller-based communication devices using sensors such as MEMS accelerometers have also been developed to detect movement patterns and convert them into predefined messages. However, many of these systems lack portability and user-friendly interfaces.

The proposed system aims to overcome these limitations by designing a compact, sensor-based smart interface capable of detecting user gestures and converting them into real-time communication outputs.

3. PROBLEM STATEMENT

Individuals with speech and mobility impairments often struggle to communicate their needs effectively. Existing communication methods either require significant physical effort or depend heavily on caregiver assistance. Therefore, there is a need for an intelligent assistive system that enables such individuals to communicate easily using simple gestures or movements.

4. OBJECTIVES

The main objectives of the proposed system are:

- To design a sensor-based communication interface for speech and mobility impaired individuals.
- To capture user gestures using motion sensors.
- To convert gesture inputs into text or speech outputs.
- To provide a portable and user-friendly assistive communication device.
- To improve independence and accessibility for disabled individuals.

5.SYSTEM ANALYSIS

5.1. EXISTINGSYSTEM

Communication for speech and mobility impaired individuals has traditionally relied on **manual methods such as sign language, writing boards, and gesture-based communication**. While sign language is effective, it requires both the sender and receiver to understand the same gestures. In many situations, especially in public places or medical emergencies, this becomes a challenge because most people are not trained in sign language.

Some assistive technologies have been developed to help speech-impaired individuals communicate using **text-based devices or mobile applications**. These systems allow users to type messages that are converted into speech using text-to-speech (TTS) technology. However, these systems require the user to type on a keyboard or touchscreen, which can be difficult for individuals with mobility impairments.

Other existing solutions include **button-based communication devices** where predefined messages are played when buttons are pressed. Although useful, these systems provide only limited communication options and lack flexibility.

Additionally, many of the existing systems are **expensive, bulky, and not portable**, making them unsuitable for daily use. They also lack wireless communication capabilities and intelligent gesture recognition features.

Limitations of Existing System

- Requires knowledge of sign language or manual typing
- Limited communication capabilities in button-based systems
- Difficult to use for individuals with severe mobility impairment
- Lack of portability and flexibility
- High cost of advanced assistive devices

5.2. PROPOSED SYSTEM

The proposed system introduces **a Sensor-Based Smart Interface for Communication of Speech and Mobility Impaired Individuals** using a **MEMS sensor, Bluetooth module, and Text-to-Speech (TTS) technology**. The system is designed to convert simple hand gestures into voice messages, enabling easier communication for people with speech and mobility disabilities.

In this system, a **MEMS (Micro Electro Mechanical System) sensor** is used to detect the movement or tilt of the user's hand. The sensor captures gesture data such as acceleration and

orientation changes when the user performs a specific hand movement.

The detected gesture signals are processed by a **microcontroller (such as Arduino or ESP32)** which interprets the movement pattern and maps it to predefined commands or messages. Once the gesture is recognized, the corresponding text message is generated.


This message is then transmitted through a **Bluetooth module** to a connected smartphone or speaker system. The message is converted into audible speech using a **Text-to-Speech (TTS) module**, allowing others to clearly hear the intended communication.

The system is designed to be **compact, low-cost, and portable**, enabling speech and mobility impaired individuals to communicate easily in daily life. It also reduces the dependency on others for communication and improves social interaction.

Advantages of Proposed System

- Enables gesture-based communication
- Uses MEMS sensor for accurate motion detection
- Wireless communication using Bluetooth
- Converts gestures into speech using Text-to-Speech module
- Portable and user-friendly design
- Cost-effective assistive technology

6. SYSTEM ARCHITECTURE



The proposed system consists of the following major components:

- MEMS Motion Sensor – Detects hand or body movements.
- Microcontroller Unit (Arduino / Embedded Controller) – Processes sensor data and identifies gesture patterns.
- Wireless Communication Module (Bluetooth) – Sends data to a mobile device or communication interface.
- Text-to-Speech Module – Converts messages into audible speech.
- Display Unit / Mobile Application – Displays the interpreted message.

WORKING PRINCIPLE

1. The MEMS sensor detects motion or gesture performed by the user.
2. The sensor data is transmitted to the microcontroller.
3. The microcontroller processes the input and identifies the corresponding predefined command.
4. The command is converted into a text message or voice output.
5. The message is transmitted through a wireless module to a mobile device or speaker system.

CONCLUSION The touch sensor prototype project represents a pivotal advancement in assistive technology, providing a workable way to improve the accessibility of communication for people with disabilities. Through meticulous design, technological innovation, and user-centric principles, the project has culminated in the development of a wearable glove embedded with touch sensing capabilities, customizable messaging features, and multi-modal feedback mechanisms. This comprehensive solution not only empowers users to express themselves effectively but also promotes independence, social inclusion, and improved quality of life. As the project concludes, its impact extends far beyond its immediate scope, paving the way for future innovations and endeavors aimed at leveraging technology to address real-world challenges and foster positive societal change.

The most promising future directions for developing this prototype would be enhancing AI and machine learning input for improving gesture recognition and interfacing capability, adding multilingual and wireless integration to input for inclusiveness and ease of integration with smart devices, and improving the design through miniaturization, improved ergonomics, and advanced feedback systems for enhancing usability and adaptability.

REFERENCES

[1] M. Duhan, U. Gulati and Ishaan, "Intelligent System to Make the World Hear DeafMute People," 2020 3rd International Conference on Emerging Technologies in Computer Engineering: Machine Learning and Internet of Things (ICETCE), Jaipur, India, 2020

[2] G Nirosha and Ramasamy Dr Velmani 2020 IOP Conf. Ser.: Mater. Sci. Eng. 981 042005

[3] O. Vaidya, S. Gandhe, A. Sharma, A. Bhate, V. Bhosale and R. Mahale, "Design and Development of Hand Gesture based Communication Device for Deaf and Mute People," 2020 IEEE Bombay Section Signature Conference (IBSSC), Mumbai, India, 2020.

[4] Mishra, S.K., Sinha, S., Sinha, S., Bilgaiyan, S. (2019). Recognition of Hand Gestures and Conversion of Voice for Betterment of Deaf and Mute People. In: Singh, M., Gupta, P., Tyagi, V., Flusser, J., Ören, T., Kashyap, R. (eds) Advances in Computing and Data Sciences. ICACDS 2019.

[5] S. Ahmed, R. Islam, M. S. R. Zishan, M. R. Hasan and M. N. Islam, "Electronic speaking system for speech impaired people: Speak up," 2015 International Conference on Electrical Engineering and Information Communication Technology (ICEEICT), Savar, Bangladesh, 2015

[6] M. S. Amin, M. T. Amin, M. Y. Latif, A. A. Jathol, N. Ahmed and M. I. N. Tarar, "Alphabetical Gesture Recognition of American Sign Language using E-Voice Smart Glove," 2020 IEEE 23rd International Multitopic Conference (INMIC), Bahawalpur, Pakistan, 2020.

[7] H. Basanta, Y. -P. Huang and T. -T. Lee, "Assistive design for elderly living ambient using voice and gesture recognition system," 2017 IEEE International Conference on Systems, Man, and Cybernetics (SMC), Banff, AB, Canada, 2017

[8] D. Jadhav and A. Tripathy, "Gesture Aided Speech for Deaf and Mute," 2018 3rd International Conference for Convergence in Technology (I2CT), Pune, India, 2018

[9] S. Vigneshwaran, M. Shifa Fathima, V. Vijay Sagar and R. Sree Arshika, "Hand Gesture Recognition and Voice Conversion System for Dump People," 2019 5th International Conference on Advanced Computing & Communication Systems (ICACCS), Coimbatore, India, 2019

[10] K. P. Vijayakumar, Ananthu Nair, Nishant Tomar International Journal of Innovative Technology and Exploring Engineering (IJITEE) ISSN: 2278- 3075 (Online), Volume-9 Issue-5, March 2020