International Journal of Engineering Research and Science & Technology

www.ijerst.org

ISSN : 2319-5991

Vol. 22 No. 1 (2026)



ijerst.editor@gmail.com

editor@ijerst.com

International Journal of Engineering Research and Science & Technology

ISSN 2319-5991 www.ijerst.com
Vol. 22, No. 1, 2026
© 2026 IJERST. All Rights Reserved
Peer Reviewed, Referred & Indexed Journal

Research

AI-ENABLED REAL-TIME DRIVER MONITORING AND SAFETY SYSTEM USING ESP32

BAVANDLAPALLY LAXMAN[1], KANCHUKOMMULA JAYA VAISHNAVI [2], ALAKUNTA SRINIVASULU [3], PATIMEEDI KRISHNA [4], GOTTAPU HEMANTH KUMAR [5]

ASSISTANT PROFESSOR1, UG SCHOLAR[2,3,4&5]

DEPARTMENT OF ECE, PALLAVI ENGINEERING COLLEGE (UGC AUTONOMOUS) AFFILIATED BY JNTUH, HYDERABAD KUNTLOOR(V), HAYATHNAGAR (M), HYDERABAD, R.R. DISTRICT -501505

PROBLEM STATEMENT

Road accidents are a major cause of injuries and fatalities worldwide, often resulting from driver fatigue, distraction, or unsafe driving behavior. Traditional vehicle safety systems mainly focus on external factors such as collision avoidance but fail to continuously monitor the driver's condition in real time. Drivers who are drowsy, inattentive, or using mobile devices may lose concentration, leading to dangerous situations on the road. Existing monitoring systems are often expensive and not easily adaptable to low-cost vehicles. Therefore, there is a need for an affordable, real-time driver monitoring system capable of detecting unsafe driving behaviors and alerting the driver immediately. By integrating Artificial Intelligence with an ESP32-based embedded platform, the system can monitor driver activities using sensors and cameras, detect fatigue or distraction, and provide timely alerts to enhance road safety.

OBJECTIVES

- To design and develop an AI-enabled real-time driver monitoring system using the ESP32 platform.
- To detect driver drowsiness and distraction using AI-based image processing techniques through an ESP32 camera module.
- To continuously monitor driver behavior such as eye closure, head movement, and inattentiveness.
- To provide real-time alerts using buzzer or notifications when unsafe driving conditions are detected.
- To improve road safety by reducing accidents caused by driver fatigue and lack of attention.
- To create a low-cost and efficient embedded system suitable for integration into modern smart vehicles.
- To enable real-time data monitoring and potential integration with IoT-based vehicle safety platforms.

ABSTRACT

Road accidents caused by driver fatigue, distraction, and unsafe driving behavior have become a major concern worldwide. To address this issue, this paper presents an AI-enabled real-time driver monitoring and safety system using ESP32 designed to enhance driver awareness and reduce accident risks. The proposed system utilizes an ESP32 microcontroller integrated with an ESP32-CAM module to capture real-time video of the driver and analyze facial features using Artificial Intelligence and computer vision techniques.The system continuously monitors driver conditions such as eye closure, yawning, and head movement to detect signs of drowsiness or distraction. When abnormal driver behavior is identified, the system immediately triggers alerts through a buzzer or warning notification, thereby helping the driver regain attention. Additionally, sensor modules can be incorporated to monitor environmental parameters or vehicle conditions, further improving system reliability and safety.

The ESP32 platform provides a low-cost, compact, and energy-efficient solution suitable for real-time embedded applications in vehicles. By combining AI-based image processing with IoT-enabled microcontroller technology, the proposed system offers an effective approach for preventing accidents and improving road safety. The developed model demonstrates the feasibility of implementing intelligent driver monitoring systems in modern smart transportation environments.

1.INTRODUCTION

Road accidents continue to be one of the leading causes of injuries and fatalities across the globe, imposing a substantial burden on public health systems and economic resources. Human factors, such as driver fatigue,

distraction, impaired attention, and unsafe driving practices, contribute significantly to the occurrence of traffic accidents. In countries like India, the risk is further amplified due to the rapid growth in the number of vehicles, highly complex traffic scenarios, variable road conditions, and inconsistent adherence to traffic rules and regulations. Despite the implementation of conventional safety measures, such as traffic law enforcement, public awareness campaigns, and driver education programs, a large proportion of accidents still occur due to brief lapses in driver concentration, which often go undetected until it is too late to prevent a collision. In response to these challenges, the emergence of Artificial Intelligence (AI) and computer vision technologies has paved the way for intelligent Driver Monitoring Systems (DMS) that actively track driver behavior in real-time. These systems are designed to detect unsafe activities including drowsiness, inattentiveness, mobile phone usage, smoking while driving, and improper seatbelt use. By continuously monitoring facial expressions, eye movements, head orientation, and body posture, DMS can provide timely alerts, thereby mitigating risks and preventing potential accidents before they occur. Such proactive monitoring goes beyond traditional safety interventions by addressing the instantaneous and dynamic nature of human error behind the wheel. The proposed system is specifically tailored to address the unique challenges of Indian driving environments, ensuring compatibility with a wide variety of vehicle types and affordability for widespread adoption. It integrates advanced AIdriven techniques, including Eye Aspect Ratio (EAR) analysis for accurate drowsiness detection, head pose estimation for attention tracking, and YOLO-based object detection models for identifying mobile phone usage and smoking behavior. The system's modular architecture, coupled with real-time processing and low-latency alert mechanisms, makes it suitable for both private vehicles and commercial fleets, providing a scalable solution for diverse road safety applications. Beyond immediate detection, the system promotes long-term improvements in driver behavior by delivering repeated alerts that reinforce safe driving practices. It also lays the groundwork for future integration with advanced vehicle safety technologies, such as autonomous driving assistance, intelligent traffic management systems, and connected vehicle networks. By providing both real-time interventions and preventive insights, the system seeks to significantly reduce accidents caused by human error, which remains the predominant factor in traffic incidents worldwide. Furthermore, the technology can be extended to fleet management for commercial transportation, enhancing overall safety and operational efficiency. Integration with IoT and smart city infrastructures can further amplify the benefits, creating a connected and intelligent traffic ecosystem that improves road safety, reduces congestion, and optimizes transportation networks.In summary, the AI-based Driver Monitoring System represents a comprehensive and proactive approach to road safety. By combining real-time behavioral monitoring, immediate alerting, and long-term preventive measures, it aims to reduce the frequency and severity of traffic accidents, ultimately saving lives and fostering a culture of responsible driving. Its adaptability, scalability, and potential for integration with emerging vehicular technologies make it a pivotal innovation in the pursuit of safer roads and smarter transportation systems.

2.LITERATURE REVIEW

Road accidents caused by driver fatigue, distraction, and unsafe behavior have become a major global concern. Researchers have increasingly focused on **Artificial Intelligence (AI), computer vision, and IoT-based embedded systems** to develop intelligent driver monitoring systems that can detect dangerous driving conditions and provide real-time alerts.

AI-Based Driver Drowsiness Detection Systems

Several studies have focused on detecting **driver fatigue and drowsiness** using AI

techniques. A driver monitoring system based on **Convolutional Neural Networks (CNNs)** analyzes facial landmarks such as eye closure, blinking frequency, and yawning to detect fatigue in real time. These systems typically use cameras and image processing libraries like OpenCV to track facial features and alert the driver when signs of drowsiness are detected. This approach improves road safety by enabling early detection of fatigue before accidents occur.

Another AI-powered driver monitoring model combines **deep learning with object detection algorithms** to classify driver behaviors such as drowsiness, distraction, and mobile phone usage. Real-time behavior recognition enables automatic alert generation, which can significantly reduce accidents caused by inattentive driving.

Vision-Based Driver Monitoring Systems

Vision-based monitoring systems are widely used because they are **non-intrusive and accurate**. These systems utilize cameras to monitor facial expressions and eye movements to identify unsafe driving conditions. Techniques such as facial landmark detection and eye aspect ratio (EAR) analysis help identify symptoms like prolonged eye closure or yawning. When abnormal patterns are detected, the system activates warning mechanisms such as alarms or notifications.

Recent studies have also integrated **deep neural networks and transfer learning** to improve the robustness of driver behavior recognition under varying lighting conditions and head movements. These methods enable reliable real-time monitoring and better accuracy in detecting driver distraction.

IoT-Based Driver Safety Monitoring Systems

IoT-enabled driver monitoring systems combine **sensors, microcontrollers, and wireless communication** to provide continuous monitoring and alerts. Researchers have developed systems that integrate sensors such as eye-blink sensors, alcohol sensors, and heart-rate sensors to track driver health and behavior. These systems process sensor data through microcontrollers and send alerts via mobile applications or cloud platforms when abnormal conditions are detected.

For example, an IoT-based driver fatigue detection system using an **ESP32 microcontroller** processes eye-blink sensor data and activates a buzzer when prolonged eye closure is detected. The ESP32 also enables Wi-Fi connectivity for logging driver fatigue events to cloud databases or mobile apps. This architecture provides a **low-cost and scalable solution** for real-time driver safety monitoring.

Edge AI and Embedded Driver Monitoring Systems

Recent research emphasizes the importance of **edge computing and embedded AI** for real-time driver monitoring. Instead of sending data to the cloud, AI algorithms are executed directly on embedded devices, enabling faster processing and lower latency. Edge-based driver monitoring systems analyze visual and sensor data locally and generate alerts instantly when unsafe driving conditions are detected.

Such systems improve **privacy, reliability, and response time**, making them suitable for real-world deployment in intelligent transportation systems and advanced driver assistance systems (ADAS).

Research Gap

Although many driver monitoring systems exist, several limitations remain:

- Many AI-based systems require **high computational power and expensive hardware**.
- Some solutions focus only on **single parameters such as drowsiness**, ignoring other safety factors.
- Wearable or physiological sensors may be **uncomfortable for long-term use**.
- Existing systems may not be optimized for **low-cost embedded platforms like ESP32**.

Therefore, there is a need for a **low-cost, real-time, AI-enabled driver monitoring system using ESP32** that integrates computer vision and sensor-based monitoring to improve road safety while maintaining affordability and efficiency.

- **Kumar, R. et al. (2024): AI-Based Real-Time Driver Drowsiness Detection System** [1] Kumar et al. developed an AI-based driver drowsiness detection system using convolutional neural networks (CNNs) and facial landmark tracking to monitor eye aspect ratio and blinking frequency. The system produced real-time alerts when fatigue symptoms were detected, helping to prevent road accidents caused by sleepy drivers. The paper focused on optimizing model size for embedded deployment, ensuring high accuracy and low latency in dynamic vehicle environments. This study highlighted the importance of lightweight AI models for real-time performance
- **Sharma, A. et al. (2023): Deep Learning-Based Driver Distraction and Alert System [2]** Sharma et al. proposed a driver monitoring system that utilized YOLOv8 for real-time object detection and OpenCVbased face tracking to identify distracted behaviors such as mobile phone usage, smoking, and looking away from the road. The system generated immediate audio alerts when distractions were detected. The research demonstrated the efficiency of deep learning in improving detection precision compared to conventional methods, emphasizing the role of advanced AI models in enhancing driver attention and situational awareness
- **Ramesh, P. et al. (2022): Real-Time Fatigue and Attention Monitoring for Vehicle Safety [4]** Ramesh et al. proposed a computer vision-based approach to detect driver fatigue and attention loss using eye closure rate, yawning frequency, and head pose estimation. The study addressed challenges such as varying illumination, occlusion, and fast motion during driving. Experimental results demonstrated that adaptive thresholding and continuous video analysis significantly improved accuracy in real-world environments. The research contributed valuable insights into developing reliable fatigue detection systems essential for minimizing accident risks and enhancing road safety.
- **Deshmukh, S. et al. (2022): Integration of AI and IoT in Driver Monitoring for Accident Prevention [5]** Deshmukh et al. discussed an integrated AI and IoT framework for monitoring driver activity and vehicle parameters to reduce accidents. The system used a camera for behavioral analysis and GPS-GSM modules for vehicle tracking and emergency alerts. The study highlighted the effectiveness of combining visual analytics with real-time data communication to achieve proactive safety. It emphasized the need for reliable connectivity and optimized algorithms to ensure timely response and accuracy during emergency detection and alert generation.
- **Lee, J. et al. (2021): Deep Neural Network for Real-Time Driver Behavior Recognition [6]** Lee et al. developed a deep neural network-based driver behavior recognition model capable of classifying actions such as smoking, drowsiness, and mobile phone usage. The system utilized large annotated datasets and transfer learning techniques to enhance generalization and robustness under different lighting and motion conditions. Results indicated that the approach achieved high precision in detecting unsafe behaviors. The research demonstrated how deep learning and computer vision can improve driver safety through

continuous and real-time behavior analysis.

- **Wang, H. et al. (2021): AI-Based Vehicle Safety and Alert System Using Edge Computing [7] Impact Factor: 7.67** Wang et al. introduced an AI-based driver safety alert system leveraging edge computing for low-latency analysis of visual and sensor data. The model ran directly on embedded hardware to detect fatigue, distraction, and unsafe driving behaviors without cloud dependency. The study emphasized scalability, privacy preservation, and reduced response time, making it suitable for real-world automotive deployment. The research showcased how edge AI can enhance responsiveness and reliability in modern intelligent transportation systems.
- **Chen, L. et al. (2020): Vision-Based Driver Fatigue Detection Using CNN and LSTM Networks [8]** Chen et al. developed a hybrid deep learning model combining convolutional neural networks (CNN) and long shortterm memory (LSTM) networks for fatigue detection based on real-time facial expression and eye movement analysis. The model captured both spatial and temporal dependencies in driver behavior, achieving high accuracy in detecting early signs of fatigue. Experimental results demonstrated strong generalization under varying illumination and head positions, proving the method's robustness for real-world driver assistance applications and safety monitoring systems.
- **Singh, R. et al. (2020): Smart Vehicle Accident Prevention Using IoT and Artificial Intelligence [9]** Singh et al. proposed an IoT-based vehicle safety framework integrating AI algorithms for continuous driver monitoring and automatic emergency response. The system used sensors for real-time data collection, GPS for location tracking, and GSM for alert generation. Upon detecting drowsiness or unsafe maneuvers, the model triggered instant notifications to authorities and family contacts. The research highlighted AI and IoT convergence for proactive accident prevention and emphasized scalability for deployment in commercial transportation systems

3.SYSTEM ANALYSIS

EXISTING SYSTEM

The existing driver safety systems mainly rely on **basic sensors or manual monitoring methods** to detect driver fatigue, distraction, or unsafe driving behavior. Many vehicles use **simple alarm systems** or **traditional camera-based monitoring**, but these systems often lack intelligent decision-making and real-time analysis.

In most traditional systems, sensors such as **eye-blink sensors, steering pattern sensors, or lane detection systems** are used to identify driver drowsiness or inattentiveness. However, these methods may produce inaccurate results because they rely on limited parameters and do not analyze driver behavior comprehensively.

Some advanced vehicles use **camera-based monitoring systems**, but they require **high computational resources and expensive hardware**, making them unsuitable for low-cost applications. Additionally, existing systems may not provide **real-time alerts or remote monitoring capabilities**, which reduces their effectiveness in preventing accidents.

Limitations of Existing System


- Limited accuracy in detecting driver fatigue or distraction.
- Lack of real-time intelligent analysis.
- High cost of advanced monitoring systems.
- Limited integration with IoT and communication modules.
- No remote monitoring or real-time alert system.

PROPOSED SYSTEM

- The proposed system, Real Time AI Based Driver Safety and Monitoring System using ESP32, is designed to improve driver safety by continuously monitoring the driver's condition using sensors and modern technologies.
- In this system, the ESP32 microcontroller acts as the main controller that collects and processes data from different sensors. The ESP32-CAM module is used to monitor the driver's face and eye movements to detect driver drowsiness.
- To monitor the driver's health condition, the MAX30102 sensor measures the driver's heart rate and oxygen level (SpO2). These parameters help in identifying abnormal health conditions while driving.
- The system also uses an MQ3 gas sensor to detect harmful gases inside the vehicle environment. If the gas level exceeds the safe limit, the system identifies it as a dangerous condition.
- A DHT11 sensor is used to measure temperature and humidity inside the vehicle. These environmental parameters help maintain a safe and comfortable driving environment.
- All the sensor data is processed by the ESP32. If any abnormal condition such as driver drowsiness, gas detection, or abnormal health readings is detected, the system activates a relay
- module to stop the motor in the prototype model.
- The system can also transmit data through an IoT platform for real-time monitoring. This allows users to check the driver's condition and vehicle status remotely. Thus, the proposed system provides an integrated driver safety solution that helps reduce accidents and improve road safety

4.IMPLEMENTATION

BLOCK DIAGRAM



The **AI-enabled real-time driver monitoring and safety system** continuously monitors the driver's physical condition and behavior to improve road safety. The system integrates multiple sensors, an **ESP32 controller**, communication modules, and alert mechanisms.

Step-by-step working:

1. **Power Supply Initialization**

   A **12V regulated power supply** provides power to the ESP32 controller and all connected modules. The controller initializes all sensors and communication modules.

2. **Driver Health Monitoring**

   The **MAX30102 sensor** measures the driver's **heart rate and SpO_2 levels**.
   - If abnormal health conditions are detected, the system generates an alert.

3. **Environmental Monitoring**

   The **DHT11 sensor** measures the **temperature and humidity** inside the vehicle cabin.
   - This helps in monitoring environmental conditions that may affect driver comfort and alertness.

4. **Alcohol Detection**

   The **MQ-3 alcohol sensor** checks

whether the driver has consumed alcohol.

- If alcohol concentration exceeds the threshold level, the system triggers a warning buzzer and may prevent vehicle operation through the **relay module**.

5. **Driver Face Monitoring using AI**

The **ESP32-CAM** captures images of the driver's face.

- AI algorithms detect **drowsiness, eye closure, yawning, or distraction**.
- When fatigue or distraction is detected, the system activates a **buzzer alert**.

6. **Location Tracking**

The **Neo-6M GPS module** continuously tracks the vehicle location.

- The location data can be sent to a mobile application or cloud server for monitoring.

7. **Data Processing by ESP32**
All sensor data is processed by the **ESP32 microcontroller**, which makes decisions based on predefined thresholds and AI detection results.
8. **Alert and Safety Actions**
   - **16×2 LCD Display** shows real-time information such as driver status and sensor readings.
   - **Buzzer** alerts the driver in case of danger or abnormal conditions.
   - **Relay module** can stop or control the **vehicle motor** if severe risk conditions are detected.
9. **Wireless Communication and Cloud Monitoring**

The ESP32 uses **Wi-Fi connectivity** to send data to:

- **Smartphone App (Blynk)** for real-time monitoring
- **Cloud platform (ThingSpeak)** for data storage and analysis.

5.ADVANTAGES

- Provides **real-time driver health and behavior monitoring**.
- Helps in **preventing accidents caused by drowsiness or alcohol consumption**.
- **Low-cost implementation** using ESP32 and IoT sensors.
- Supports **remote monitoring through smartphone applications**.
- Provides **instant alerts using buzzer and display**.
- Enables **vehicle control using relay modules** during emergencies.
- Cloud integration allows **data storage and analytics**.

6.APPLICATIONS

- **Smart vehicles and intelligent transportation systems**.
- **Commercial vehicle driver monitoring** (trucks, buses, taxis).
- **Fleet management systems**.
- **Driver health monitoring in long-distance transportation**.
- **Accident prevention systems in automobiles**.
- **Research and development in AI-based transportation safety**.

7. DISADVANTAGES

- AI face detection accuracy may **depend on lighting conditions**.
- Requires **stable internet connectivity** for cloud monitoring.
- Sensor readings may sometimes produce **false alarms**.
- Continuous monitoring may increase **power consumption**.
- Initial **system calibration and training of AI models** may be required.

CONCLUSION The AI-Powered Real-Time Driver Monitoring and Safety Alert System

offers a reliable solution to improve road safety by continuously detecting driver drowsiness, distraction, mobile phone usage, smoking, and improper seatbelt use. By providing immediate audio-visual alerts, the system helps prevent accidents caused by human error and enhances driver awareness in real-time. Its modular architecture and low-latency performance make it suitable for deployment in both private and commercial vehicles, particularly under the complex traffic conditions prevalent in India. The integration of AI, computer vision, and deep learning ensures accurate and efficient monitoring, while continuous feedback encourages safer driving habits over time. Furthermore, the system lays the foundation for future developments in intelligent vehicle safety, including integration with autonomous driving aids and smart traffic management solutions, contributing to a significant reduction in traffic-related fatalities

REFERENCES

[1]. R. Kumar, S. Mehta, and P. Roy, "AI-Based Real-Time Driver Drowsiness Detection System," International Journal of Intelligent Systems and Applications in Engineering, vol. 12, no. 2, pp. 145–152, 2024.

[2]. Sharma, K. Patil, and V. Joshi, "Deep Learning-Based Driver Distraction and Alert System," International Journal of Computer Vision and Intelligent Transport, vol. 11, no. 3, pp. 201–210, 2023.

[3]. N. Gupta, R. Desai, and L. Thomas, "IoT-Enabled Driver Safety Monitoring Using Sensor Fusion," Journal of Internet of Things and Smart Systems, vol. 10, no. 1, pp. 33–42, 2023.

[4]. P. Ramesh, S. Bansal, and D. Kapoor, "Real-Time Fatigue and Attention Monitoring for Vehicle Safety," IEEE Transactions on Intelligent Transportation Systems, vol. 23, no. 6, pp. 5589–5598, 2022.

[5]. S. Deshmukh, M. Kale, and A. Patwardhan, "Integration of AI and IoT in Driver Monitoring for Accident Prevention," International Journal of Emerging Trends in Engineering Research, vol. 10, no. 9, pp. 567–573, Impact Factor: 7.67 2022.

[6]. J. Lee, D. Kim, and H. Park, "Deep Neural Network for Real-Time Driver Behavior Recognition," IEEE Access, vol. 9, pp. 109321–109330, 2021.

[7]. H. Wang, T. Zhang, and L. Chen, "AI-Based Vehicle Safety and Alert System Using Edge Computing," Journal of Advanced Transportation, vol. 2021, Article ID 9934872, 2021.

[8]. L. Chen, M. Zhang, and X. Li, "Vision-Based Driver Fatigue Detection Using CNN and LSTM Networks," IEEE Transactions on Intelligent Vehicles, vol. 5, no. 4, pp. 726–735, 2020.

[9]. R. Singh, P. Verma, and N. Gupta, "Smart Vehicle Accident Prevention Using IoT and Artificial Intelligence," International Journal of Innovative Technology and Exploring Engineering (IJITEE), vol. 9, no. 12, pp. 451458, 2020