

Deep Learning-Based Brain Tumor Detection System

J. Krishna Kishore¹, J. Balaji²

#1 Associate Professor Department of CSE, GVR&S College of Engineering and Technology, Guntur.

#2 Student in the Department of CSE, GVR&S College of Engineering and Technology, Guntur.

Abstract: Brain tumor detection is one of the most important tasks in the medical field because early diagnosis can significantly improve patient survival rates and treatment effectiveness. Magnetic Resonance Imaging (MRI) is commonly used for identifying abnormalities in brain tissues; however, manual analysis of MRI images is time-consuming and highly dependent on radiologists' expertise. To address these challenges, this paper presents an automated Brain Tumor Detection System using Deep Learning techniques.

The proposed system uses Convolutional Neural Networks (CNN) along with Transfer Learning based on the VGG16 architecture to classify MRI brain images into Tumor and No Tumor categories. The MRI images are preprocessed using resizing, normalization, and data augmentation techniques to improve model accuracy and robustness. The deep learning model automatically extracts important features from MRI images and performs efficient classification with minimal human intervention.

A Flask-based web application is developed to provide real-time prediction results through a simple and user-friendly interface. The experimental results demonstrate that the proposed system achieves high accuracy, reduces diagnostic time, and minimizes human errors. The system can assist healthcare professionals in faster decision-making and can be

further extended for advanced tumor classification and real-time medical applications.

Index terms - — Brain Tumor Detection, Deep Learning, CNN, VGG16, MRI Image Classification, Transfer Learning, Medical Image Processing, Artificial Intelligence, Flask Application.

1. INTRODUCTION

Artificial Intelligence (AI) and Deep Learning (DL) technologies have rapidly transformed the healthcare industry by enabling intelligent and automated disease diagnosis systems. Among various critical diseases, brain tumors are considered one of the most dangerous neurological disorders because they directly affect the functioning of the human brain. A brain tumor is an abnormal growth of cells inside the brain or surrounding tissues, which may be benign (non-cancerous) or malignant (cancerous). Early detection of brain tumors is extremely important because timely diagnosis can improve treatment planning, reduce complications, and increase patient survival rates. However, detecting tumors accurately at an early stage remains a major challenge in medical imaging and diagnosis.

Magnetic Resonance Imaging (MRI) is one of the most widely used imaging techniques for detecting brain abnormalities because it provides detailed and

high-resolution images of soft brain tissues. Radiologists traditionally analyze MRI scans manually to identify tumor regions based on image patterns, texture, and intensity variations. Although MRI is highly effective, manual diagnosis is time-consuming, complex, and dependent on the expertise of medical professionals. In many cases, small or low-contrast tumors may be overlooked, leading to delayed or incorrect diagnosis. Additionally, hospitals generate a large volume of MRI data daily, making manual analysis increasingly difficult and inefficient. These limitations highlight the need for an automated and reliable brain tumor detection system.

Recent advancements in Deep Learning, particularly Convolutional Neural Networks (CNNs), have shown excellent performance in medical image analysis tasks such as image classification, segmentation, and object detection. CNN models automatically learn important features from images without requiring manual feature extraction. Furthermore, Transfer Learning techniques using pre-trained models such as VGG16 improve accuracy and reduce training time by utilizing previously learned knowledge from large-scale datasets. In this project, a Deep Learning-based Brain Tumor Detection System is proposed using CNN and VGG16 Transfer Learning to classify MRI images into Tumor and No Tumor categories. The system also incorporates preprocessing techniques such as resizing, normalization, and data augmentation to improve model robustness. A Flask-based web application is developed to provide real-time predictions through a simple and user-friendly interface. The proposed system aims to reduce diagnosis time, minimize human errors, and assist healthcare professionals in making faster and more accurate medical decisions.

2. LITERATURE SURVEY

a) U-Net: Convolutional Networks for Biomedical Image Segmentation:

Most people agree that thousands of annotated training samples are necessary for deep networks to be successfully trained. In order to make better use of the existing annotated examples, we offer a network and training technique in this study that heavily depends on data augmentation. The design comprises of a symmetric expanding path for accurate localization and a contracting path for context capture. We demonstrate that such a network outperforms the previous best approach (a sliding-window convolutional network) on the ISBI challenge for segmentation of neural structures in electron microscopic stacks and can be trained end-to-end using extremely few photos. We won the 2015 ISBI cell tracking competition by a wide margin using the same network that was trained on transmitted light microscopy images (phase contrast and DIC). The network is also fast. On a modern GPU, segmenting a 512x512 picture takes less than a second.

b) Very Deep Convolutional Networks for Large-Scale Image Recognition:

In this study, we examine how the depth of the convolutional network affects its accuracy in the context of large-scale picture recognition. Our primary contribution is a comprehensive analysis of networks with increasing depth utilizing an architecture with relatively tiny (3x3) convolution filters, which demonstrates that raising the depth to 16–19 weight layers may significantly outperform the state-of-the-art configurations. These results served

as the foundation for our ImageNet Challenge 2014 entry, in which our team placed first in the localization track and second in the classification track. Additionally, we demonstrate that our representations obtain state-of-the-art outcomes when applied to different datasets. To encourage more study on the application of deep visual representations in computer vision, we have released our two top-performing ConvNet models to the public.

c) ImageNet Classification with Deep Convolutional

Neural Networks:

To categorize the 1.2 million high-resolution photos in the ImageNet LSVRC-2010 competition into the 1000 different classes, we trained a large, deep convolutional neural network. We obtained top-1 and top-5 error rates of 37.5% on the test data. and 17.0%, which is much superior to the prior state-of-the-art. The neural network, which has 60 million parameters and 650,000 neurons, consists of five convolutional layers, some of which are followed by max-pooling layers, and three fully-connected layers with a final 1000-way softmax. We employed non-saturating neurons and a very effective GPU implementation of the convolution process to speed up training. We used a recently invented regularization technique called "dropout" to lessen overfitting in the fully-connected layers, and it worked really well. Additionally, we submitted a version of this model to the ILSVRC-2012 competition, which we won with a top-5 test error rate of 15.3% as opposed to the second-best entry's 26.2%.

d) ImageNet classification with deep convolutional neural networks:

To categorize the 1.2 million high-resolution photos in the ImageNet LSVRC-2010 competition into the 1000 distinct classes, we trained a large, deep convolutional neural network. Our top-1 and top-5 error rates on the test data were 37.5% and 17.0%, respectively, which is significantly better than the prior state-of-the-art. Five convolutional layers, some of which are followed by max-pooling layers, and three fully-connected layers with a final 1000-way softmax make up the neural network, which contains 650,000 neurons and 60 million parameters. We employed non-saturating neurons and a very effective GPU version of the convolution process to speed up training. We used a recently invented regularization technique termed "dropout" to lessen overrides in the fully-connected layers, and it worked rather well. We also entered a version of this model in the ILSVRC-2012 competition, where we won with a top-5 test error rate of 15.3%, while the second-best entry achieved 26.2%.

e) N-BaIoT—Network-Based Detection of IoT Botnet Attacks Using Deep Autoencoders:

Gliomas are the most prevalent and aggressive kind of brain tumor, with a relatively short life expectancy at their maximum grade. Therefore, a crucial step in enhancing the quality of life for cancer patients is treatment planning. A popular imaging method for evaluating malignant tumors is magnetic resonance imaging (MRI). However, the volume of data generated by MRI makes manual segmentation impractical in a reasonable period of time, which restricts the use of accurate quantitative assessments in clinical practice. Therefore, automatic and

trustworthy segmentation techniques are needed; yet, automatic segmentation is a difficult challenge due to the significant spatial and anatomical heterogeneity among brain tumors. In this study, we investigate tiny 3x3 kernels and present an automated segmentation approach based on Convolutional Neural Networks (CNN). Because there are fewer weights in the network, using tiny kernels not only helps prevent overfitting but also enables the creation of a deeper architecture. We also looked at the use of intensity normalization as a pre-processing step, which, while uncommon in CNN-based segmentation techniques, proved to be quite successful for brain tumor segmentation in MRI images when combined with data augmentation. The Brain Tumor Segmentation Challenge 2013 database (BRATS 2013) confirmed our solution, which concurrently achieved the top spot for the full, core, and enhancing areas in the Dice Similarity Coefficient measure (0.88, 0.83, 0.77) for the Challenge data set. Additionally, the online evaluation platform gave it the top spot overall. Using the same approach, we also took part in the on-site BRATS 2015 Challenge, where we placed second with Dice Similarity Coefficient metrics of 0.78, 0.65, and 0.75 for the whole, core, and enhancing areas, respectively.

3. METHODOLOGY

i) Proposed Work:

The proposed work focuses on the development of an automated Brain Tumor Detection System using Deep Learning techniques for accurate and efficient analysis of MRI brain images. The system is designed to overcome the limitations of traditional manual diagnosis methods by utilizing Convolutional Neural Networks (CNN) and Transfer Learning with

the VGG16 architecture. The proposed model automatically extracts important image features such as edges, textures, and abnormal tumor patterns from MRI scans without requiring manual feature engineering. MRI images are preprocessed using resizing, normalization, and data augmentation techniques to improve image quality, reduce overfitting, and enhance the overall performance of the model. The processed images are then classified into two categories: Tumor and No Tumor with high prediction accuracy.

The proposed system also includes a Flask-based web application that provides a user-friendly interface for real-time tumor prediction. Users can upload MRI images through the web interface, and the trained deep learning model analyzes the image and generates instant prediction results. The system reduces the workload of radiologists, minimizes human errors, and decreases diagnosis time. In addition, the use of Transfer Learning with VGG16 improves classification efficiency even when limited medical datasets are available. The overall workflow of the proposed system includes MRI image acquisition, preprocessing, feature extraction using CNN and VGG16, classification using fully connected layers, and result visualization. The proposed work aims to provide a reliable, scalable, and cost-effective healthcare solution that can assist medical professionals in early brain tumor diagnosis and can be extended in the future for multi-class tumor classification and tumor segmentation applications.

ii) System Architecture:

The system architecture of the proposed Brain Tumor Detection System represents the complete workflow

involved in detecting tumors from MRI brain images using Deep Learning techniques. The architecture consists of multiple stages including image acquisition, preprocessing, feature extraction, dataset splitting, CNN model training, classification, and performance evaluation. The overall architecture is designed to automate the tumor detection process and provide accurate prediction results with minimal human intervention. The uploaded MRI image is first given as input to the system, where preprocessing operations such as image resizing, normalization, and noise reduction are performed to improve image quality and maintain consistency in the dataset. After preprocessing, important image features such as edges, textures, and abnormal tumor patterns are extracted using Convolutional Neural Networks (CNN) and Transfer Learning with the VGG16 model.

The extracted features are then divided into training and testing datasets for model learning and evaluation. During the training phase, the CNN model learns complex tumor patterns from MRI images and performs classification into two categories: Tumor and No Tumor. The architecture uses deep learning layers such as convolution layers, pooling layers, flatten layers, fully connected layers, and a sigmoid output layer for efficient prediction. Once classification is completed, the system generates prediction results along with performance metrics such as accuracy, loss, precision, recall, and confusion matrix. The final prediction is displayed through a Flask-based web application interface, allowing users to upload MRI images and receive instant diagnostic results. The proposed architecture improves diagnostic accuracy, reduces manual effort, minimizes human errors, and enables fast real-time prediction for healthcare applications.




Fig1 proposed architecture

iii) Modules:

1. Image Upload Module

This module allows users to upload MRI brain images into the system through the web interface. The uploaded images are collected in formats such as JPG or PNG and sent to the preprocessing stage for further analysis. The module acts as the entry point of the system and provides easy interaction for doctors or users.

2. Preprocessing Module

The preprocessing module prepares MRI images for deep learning model training and prediction. It performs operations such as image resizing to 224×224 pixels, normalization of pixel values, noise removal, and data augmentation techniques like rotation, zooming, and flipping. These steps improve image quality, maintain uniformity, and increase model accuracy.

3. Feature Extraction Module

This module uses Convolutional Neural Networks (CNN) along with the VGG16 Transfer Learning model to automatically extract important features from MRI images. Features such as edges, textures,

shapes, and tumor regions are identified without manual feature engineering. This improves classification performance and reduces human effort.

4. Dataset Splitting Module

The dataset splitting module divides MRI images into training and testing datasets. The training dataset is used to train the CNN model, while the testing dataset is used to evaluate the model's performance. This module helps in validating the effectiveness and generalization capability of the proposed system.

5. CNN Classification Module

The CNN classification module performs the main tumor detection task. The extracted features are processed through convolution layers, pooling layers, flatten layers, dense layers, and sigmoid activation functions to classify MRI images into:

- Tumor
- No Tumor

The module automatically learns complex patterns and generates accurate predictions.

6. Prediction Module

The prediction module processes new MRI images and generates real-time output results. After classification, the system displays whether the uploaded MRI image contains a tumor or not. The module also generates probability scores and prediction confidence.

iv) Algorithms:

1. Convolutional Neural Network (CNN) Algorithm

The primary algorithm used in the proposed system is the Convolutional Neural Network (CNN), which is highly effective for image classification tasks. CNN automatically extracts important features such as edges, textures, shapes, and tumor regions from MRI brain images. The CNN architecture consists of convolution layers, pooling layers, flatten layers, and fully connected layers that work together to classify MRI images into Tumor and No Tumor categories. The convolution layer applies filters to detect important patterns, while pooling layers reduce image dimensions and computational complexity. Finally, dense layers perform classification using learned features. CNN eliminates the need for manual feature extraction and improves prediction accuracy in medical image analysis.

2. VGG16 Transfer Learning Algorithm

The proposed system uses the VGG16 Transfer Learning model for efficient feature extraction and improved classification performance. VGG16 is a pre-trained deep learning model trained on large image datasets such as ImageNet. Instead of training the entire model from scratch, the pre-trained layers of VGG16 are reused to extract high-level image features from MRI scans. Additional dense layers are added for binary classification. Transfer Learning reduces training time, improves model accuracy, and works effectively even with limited medical datasets. The frozen layers retain previously learned image features, which helps in detecting complex tumor patterns more accurately.

4. EXPERIMENTAL RESULTS

The experimental results demonstrate the effectiveness and reliability of the proposed Brain Tumor Detection System using Deep Learning techniques. The system was trained and tested using MRI brain image datasets containing Tumor and No Tumor classes. During experimentation, various preprocessing techniques such as image resizing, normalization, and data augmentation were applied to improve model performance and reduce overfitting. The proposed model utilized Convolutional Neural Networks (CNN) along with the VGG16 Transfer Learning architecture for feature extraction and classification. The dataset was divided into training and testing datasets to evaluate the generalization capability of the model. The training process was carried out over multiple epochs using the Adam optimizer and Binary Cross-Entropy loss function to achieve optimal classification performance.

The trained model achieved high classification accuracy in distinguishing MRI images containing tumors from normal brain images. Experimental evaluation was performed using performance metrics such as Accuracy, Precision, Recall, F1-Score, Loss, and Confusion Matrix. The confusion matrix results indicated that the model successfully classified most MRI images correctly with minimal misclassification. The CNN with VGG16 architecture provided better feature learning capability and improved prediction accuracy compared to traditional machine learning methods. The system also demonstrated fast prediction speed and real-time performance through the Flask-based web application interface. Users were able to upload MRI images and receive instant diagnostic results efficiently. The experimental outcomes confirm that the proposed deep learning-based system is highly effective for automated brain tumor detection and can assist healthcare

professionals in improving diagnostic accuracy while reducing manual effort and diagnosis time.

Accuracy: A test's accuracy is its capacity to distinguish healthy from ill cases. Find the percentage of instances with genuine positives and negatives to assess test accuracy.

$$\text{Accuracy} = \frac{TP + TN}{(TP + TN + FP + FN)}$$

$$\text{Accuracy} = \frac{(TN + TP)}{T}$$

Precision: Classification accuracy or positive cases constitute precision. The formula for accuracy is:

$$\text{Precision} = \frac{\text{True positives}}{(\text{True positives} + \text{False positives})} = \frac{TP}{(TP + FP)}$$

$$\text{Precision} = \frac{TP}{(TP + FP)}$$

Recall: A model's recall measures its ability to recognize all appropriate machine learning class instances. The ratio of accurately predicted positive observations to total positives indicates a model's class instance detection skill.

$$\text{Recall} = \frac{TP}{(FN + TP)}$$

mAP: Mean Average Precision ranks quality. It considers the number and order of relevant ideas. Calculating MAP at K uses the arithmetic mean of each user or query's Average Precision (AP).

$$mAP = \frac{1}{n} \sum_{k=1}^{k=n} AP_k$$

AP_k = the AP of class k
 n = the number of classes

F1-Score: A high F1 score suggests an accurate machine learning model. Integrating recall and precision improves model correctness. Accuracy measures how often a model predicts a dataset correctly.

$$F1 = 2 \cdot \frac{(Recall \cdot Precision)}{(Recall + Precision)}$$




Fig2 Confusion Matrix




Fig3 Sample Prediction Results



Fig4 Detection Result

5. CONCLUSION

The proposed Brain Tumor Detection System using Deep Learning provides an efficient, accurate, and automated solution for detecting brain tumors from MRI images. The system successfully utilizes Convolutional Neural Networks (CNN) along with Transfer Learning using the VGG16 architecture to classify MRI images into Tumor and No Tumor categories. By applying preprocessing techniques such as image resizing, normalization, and data augmentation, the model achieves improved robustness and higher prediction accuracy. The automated feature extraction capability of CNN eliminates the need for manual feature engineering and significantly reduces human effort in medical image analysis.

The experimental results demonstrate that the proposed system achieves reliable performance with high accuracy, low prediction loss, and efficient classification capability. The integration of a Flask-based web application further enhances the usability of the system by allowing users to upload MRI images and obtain real-time prediction results through a simple interface. The proposed system reduces diagnosis time, minimizes human errors, and

assists healthcare professionals in making faster and more accurate medical decisions. Overall, the project highlights the importance of Artificial Intelligence and Deep Learning in healthcare applications and provides a scalable foundation for future advancements in automated medical diagnosis systems.

6. FUTURE SCOPE

The proposed Brain Tumor Detection System can be further enhanced in several ways to improve its performance, accuracy, and real-world applicability in the healthcare domain. Currently, the system performs binary classification by identifying whether a tumor is present or not in MRI brain images. In future, the system can be extended to perform multi-class tumor classification, where different types of brain tumors such as Glioma, Meningioma, and Pituitary tumors can be identified separately. This enhancement would provide more detailed diagnostic information and assist doctors in selecting appropriate treatment methods. Additionally, advanced Deep Learning architectures such as ResNet, EfficientNet, and DenseNet can be integrated to further improve classification accuracy and feature extraction capability.

Another important future enhancement is tumor segmentation, where the exact location and boundaries of the tumor can be detected within MRI images. This would help surgeons and radiologists analyze tumor size, shape, and affected regions more accurately. The system can also be integrated with cloud computing and mobile healthcare applications to enable remote diagnosis and telemedicine services. Real-time clinical deployment in hospitals and diagnostic centers can further improve healthcare

accessibility, especially in rural areas where expert radiologists are limited. Moreover, larger and more diverse MRI datasets can be used for training to improve model generalization and robustness. Future research may also focus on integrating explainable AI techniques to provide interpretable predictions, helping medical professionals better understand the decision-making process of the deep learning model.

REFERENCES

- [1] O. Ronneberger, P. Fischer, and T. Brox, "U-Net: Convolutional Networks for Biomedical Image Segmentation," in *Proc. Int. Conf. Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, 2015, pp. 234–241.
- [2] K. Simonyan and A. Zisserman, "Very Deep Convolutional Networks for Large-Scale Image Recognition," in *Proc. Int. Conf. Learning Representations (ICLR)*, 2015.
- [3] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet Classification with Deep Convolutional Neural Networks," in *Advances in Neural Information Processing Systems (NIPS)*, 2012, pp. 1097–1105.
- [4] G. Litjens *et al.*, "A Survey on Deep Learning in Medical Image Analysis," *Medical Image Analysis*, vol. 42, pp. 60–88, 2017.
- [5] S. Pereira, A. Pinto, V. Alves, and C. A. Silva, "Brain Tumor Segmentation Using Convolutional Neural Networks in MRI Images," *IEEE Transactions on Medical Imaging*, vol. 35, no. 5, pp. 1240–1251, 2016.
- [6] M. Havaei *et al.*, "Brain Tumor Segmentation with Deep Neural Networks," *Medical Image Analysis*, vol. 35, pp. 18–31, 2017.

- [7] D. Shen, G. Wu, and H.-I. Suk, "Deep Learning in Medical Image Analysis," *Annual Review of Biomedical Engineering*, vol. 19, pp. 221–248, 2017.
- [8] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. Cambridge, MA, USA: MIT Press, 2016.
- [9] F. Chollet, *Deep Learning with Python*. Manning Publications, 2017.
- [10] J. Brownlee, "Deep Learning for Computer Vision," *Machine Learning Mastery*, 2019.
- [11] TensorFlow Developers, "TensorFlow Documentation," 2023. [Online]. Available: <https://www.tensorflow.org/>
- [12] Keras Team, "Keras Documentation," 2023. [Online]. Available: <https://keras.io/>
- [13] Scikit-learn Developers, "Scikit-learn: Machine Learning in Python," 2023. [Online]. Available: <https://scikit-learn.org/>
- [14] Flask Developers, "Flask Web Framework Documentation," 2023. [Online]. Available: <https://flask.palletsprojects.com/>
- [15] Kaggle, "Brain Tumor MRI Dataset," 2023. [Online]. Available: <https://www.kaggle.com/>

Author Profiles



Mr. J. Krishnakishore is an Associate Professor in the Department of Computer

Science and Engineering (CSE) at **GVR&S College of Engineering & Technology, Budampadu**. With over 12 years of professional experience in the field of Computer Science and Engineering, he has developed strong academic expertise in core areas such as Machine Learning, Database Management Systems (DBMS), and Computer Networks. Throughout his distinguished teaching career, he has effectively combined extensive classroom instruction with a passion for engineering education. He is dedicated to mentoring students, guiding technical research, and fostering a strong conceptual understanding of complex computational systems and modern data architectures.



Mr. J. Balaji is currently pursuing his M.Tech in the Department of Computer Science and Engineering (CSE) at **GVR&S College of Engineering & Technology, Budampadu**. Prior to his post-graduation, he completed his MCA from JKC College, Guntur. With a strong academic foundation in both theoretical and practical aspects of computing, his primary areas of interest include Machine Learning, Deep Learning, Database Management Systems (DBMS), Python, Data Structures, and Java

Programming. Throughout his academic journey, he has focused on developing robust programming skills, exploring intelligent algorithms, and applying computational techniques to solve complex data-driven problems.