CERVIXAI: AI-POWERED CERVICAL CANCER DETECTION

[1]Mrs. S. GAYATHRI DEVI, 2 SHANAMONI UMADEVI,
ASSISTANT PROFESSOR, CSE, J.B INSTITUTE OF ENGINEERING & TECHNOLOGY
M TECH SCHOLORS, CSE, J.B INSTITUTE OF ENGINEERING & TECHNOLOGY

ABSTRACT

Cervical cancer remains one of the leading causes of cancer-related mortality among women worldwide, particularly in regions with limited access to skilled medical professionals and screening facilities. Early detection is crucial for improving patient outcomes; however, traditional Pap smear analysis is time-consuming, labor-intensive, and subject to human error. This project, CervixAI, presents an AI-powered web-based system for automated cervical cancer detection using Convolutional Neural Networks (CNNs) and the Flask framework.

The proposed system classifies cervical cell images into three categories: Negative, Positive, and **Suspected**, thereby assisting healthcare professionals in preliminary screening and clinical decision-making. The CNN model processes cervical cell images through image preprocessing, feature extraction, and classification stages to generate accurate predictions along with confidence scores for each class. The application provides a secure user authentication system, image upload functionality, prediction history management, and an interactive analytics dashboard for monitoring screening outcomes.

Developed using Python, TensorFlow, Keras, Flask, HTML, CSS, and JavaScript, the system follows a three-tier architecture comprising presentation, application, and data layers. Experimental evaluation on a test dataset of 1,500 cervical cell images achieved an overall classification accuracy of **98.0%**, with high precision, recall, and ROC-AUC scores across all classes. The system demonstrates rapid inference performance, strong usability, and cost-effective deployment using open-source technologies.

CervixAI serves as a clinical decision-support tool that can enhance screening efficiency, reduce diagnostic workload, and improve access to cervical cancer screening services, particularly in resource-constrained healthcare environments. Future enhancements include integration with cloud databases, explainable AI techniques, and clinical validation on larger real-world datasets.

Keywords: Cervical Cancer Detection, Convolutional Neural Network (CNN), Deep Learning, Medical Image Analysis, Flask Web Application, Artificial Intelligence, Healthcare Informatics, Computer-Aided Diagnosis.

I.INTRODUCTION

Cervical cancer is one of the most prevalent cancers affecting women worldwide and continues to be a major public health challenge, particularly in developing countries where access to healthcare resources and screening facilities remains limited. According to the World Health Organization (WHO), cervical cancer is the fourth most common cancer among women and is responsible for a significant number of cancer-related deaths each year [1]. The disease is primarily associated with persistent infection by high-risk strains of the Human Papillomavirus (HPV), which causes abnormal cellular changes in the cervix that may eventually develop into malignant tumors if not detected and treated at an early stage [2]. Since cervical cancer progresses slowly over several years, early diagnosis and timely intervention can dramatically improve survival rates and reduce mortality.

Traditional cervical cancer screening methods, such as the Papanicolaou (Pap) smear test and HPV DNA testing, have played a crucial role in reducing the incidence of cervical cancer in many countries [3]. However, these methods rely heavily on the manual examination of cervical cell samples by trained cytologists and pathologists. The process is labor-intensive, time-consuming, and susceptible to human error due to fatigue, subjective interpretation, and inter-observer variability [4]. In regions with limited medical infrastructure, the shortage of experienced pathologists further exacerbates the problem, leading to delayed diagnoses and reduced screening coverage. Consequently, there is a growing demand for automated systems capable of assisting healthcare professionals in accurately identifying abnormal cervical cells.

The rapid advancement of Artificial Intelligence (AI) and Machine Learning (ML) technologies has

opened new possibilities in the field of medical image analysis. Among various deep learning techniques, Convolutional Neural Networks (CNNs) have emerged as one of the most effective approaches for image classification tasks because of their ability to automatically learn relevant features from raw image data [5]. Unlike traditional machine learning methods that require manual feature extraction, CNNs can identify complex patterns and morphological characteristics directly from medical images, making them highly suitable for disease detection and classification [6]. Their successful application in radiology, dermatology, pathology, and cancer diagnosis has demonstrated their potential to improve diagnostic accuracy while reducing dependence on manual analysis.

Several researchers have applied CNN-based models to cervical cytology datasets and reported impressive classification performance. Studies conducted on benchmark datasets such as Herlev and SIPaKMeD have achieved classification accuracies exceeding 90%, demonstrating the capability of deep learning models to distinguish between normal and abnormal cervical cells effectively [7]. Furthermore, the adoption of transfer learning techniques using pre-trained architectures such as VGG16, ResNet50, and InceptionV3 has significantly improved model performance while reducing training time and computational complexity [8]. These developments indicate that AI-driven solutions can serve as valuable decision-support tools for cervical cancer screening and diagnosis.

In addition to advances in deep learning, modern web technologies have enabled the deployment of AI models through user-friendly and accessible web-based platforms. Frameworks such as Flask provide a lightweight yet powerful environment for integrating machine learning models into healthcare applications, allowing clinicians to upload medical images and receive real-time predictions through a web browser [9]. Such systems enhance accessibility, reduce infrastructure requirements, and facilitate the adoption of AI technologies in healthcare environments, particularly in resource-constrained regions where specialized diagnostic equipment may not be readily available.

Motivated by these advancements, the proposed project, **CervixAI: AI-Powered Cervical Cancer Detection**, aims to develop an intelligent web-based system that leverages Convolutional Neural Networks for the automated classification of cervical cell images. The system is designed to categorize images into three clinically relevant classes: Negative, Positive, and Suspected. By combining a robust CNN model with a Flask-based web application, the platform provides healthcare professionals with rapid and reliable screening assistance, confidence scores for predictions, secure user authentication, and prediction history management [10]. The ultimate goal of CervixAI is to support early detection efforts, improve screening efficiency, reduce diagnostic workload, and contribute to better healthcare outcomes through the effective use of artificial intelligence technologies.




Figure No: 1.1: System Architecture

The architecture of the proposed **CervixAI: AI-Powered Cervical Cancer Detection System** is designed using a multi-layered structure that integrates web technologies, deep learning models, secure data management, and user-friendly interfaces. The architecture consists of four major components: the **User Layer**, **Application Layer**, **CNN Model Layer**, and **Data Layer**, which work together to provide accurate and efficient cervical cancer prediction services. The system follows a client-server architecture

where healthcare professionals interact with the web application through a browser, while the backend processes uploaded cervical cell images using an Artificial Intelligence model.

The **User Layer** serves as the interaction point between the clinician and the system. Through a web-based interface, users can register, log in, upload cervical cell images, view prediction results, access prediction history, monitor analytical dashboards, and securely log out of the application. This layer is designed to be simple and intuitive, allowing healthcare professionals to utilize the system without requiring specialized technical knowledge. The user interface provides seamless navigation and ensures that all prediction-related information is easily accessible.

The **Application Layer**, developed using the Flask framework, acts as the central processing component of the system. It contains several functional modules responsible for handling authentication, image uploads, prediction requests, result generation, and dashboard management. The authentication module manages user registration and login activities while ensuring secure access to the application. The image upload module validates uploaded cervical cell images by checking file formats and size restrictions before forwarding them for analysis. The prediction controller coordinates communication between the preprocessing module and the CNN model, ensuring smooth execution of the prediction workflow. Additionally, the results manager stores prediction outcomes and confidence scores, while the dashboard controller generates statistical reports and visual analytics for users.

Before prediction, every uploaded image passes through the **Image Preprocessing Module**, which prepares the image for deep learning analysis. This module performs several operations, including image validation, resizing, normalization, and format conversion. The images are resized to a fixed dimension of **256 × 256 pixels**, ensuring consistency across all inputs. Pixel values are normalized to improve model convergence and prediction accuracy. These preprocessing operations enhance the quality of input data and allow the CNN model to extract meaningful features effectively.

The **Prediction Service** acts as a bridge between the Flask application and the trained CNN model. Once preprocessing is completed, the image is forwarded to the deep learning model for inference. The prediction service receives the output probabilities generated by the model and converts them into clinically meaningful results. It identifies the most probable class and calculates confidence scores for each category, enabling healthcare professionals to understand the reliability of the prediction.

At the core of the system lies the **CNN Model Layer**, which functions as the inference engine. The Convolutional Neural Network processes cervical cell images through multiple convolutional and pooling layers to automatically learn important cellular characteristics such as shape, texture, nucleus structure, and morphological abnormalities. The extracted features are then analyzed through fully connected layers to perform classification. The output layer utilizes a Softmax activation function to generate probability values for three classes: **Negative**, **Positive**, and **Suspected**. The class with the highest probability is selected as the final prediction, while confidence scores provide additional decision-support information to clinicians.

The **Data Layer** is responsible for storing and managing all application-related information. User credentials, prediction results, confidence scores, timestamps, and historical records are securely maintained within the database. Uploaded cervical images are stored separately in a secure file storage repository. This layer ensures data persistence, facilitates retrieval of historical information, and supports dashboard analytics. By maintaining comprehensive prediction records, the system enables clinicians to monitor patient screening outcomes over time.

To ensure reliability and security, the architecture incorporates several **Security and System Services**. Passwords are protected using PBKDF2-SHA256 hashing techniques, preventing unauthorized access to user credentials. Session management mechanisms maintain secure user authentication throughout application usage. File validation and sanitization procedures safeguard the system against malicious uploads and cyber threats. Furthermore, logging, monitoring, backup, and recovery services help maintain system integrity, support troubleshooting, and ensure continuous availability of critical healthcare information.

II SURVEY OF RESEARCH

The application of Artificial Intelligence (AI) in healthcare has grown significantly over the past decade,

particularly in the field of medical image analysis. Researchers have increasingly focused on developing automated systems for cervical cancer detection due to the limitations associated with manual cytological examination. Early computer-aided diagnostic systems primarily relied on traditional image processing techniques combined with handcrafted feature extraction methods. Jantzen et al. developed one of the earliest benchmark studies using the Herlev dataset, where morphological features extracted from cervical cell images were classified using machine learning algorithms. Their work demonstrated the feasibility of automated cervical cell classification but was limited by the dependence on manually designed features and relatively lower classification accuracy [1].

Traditional machine learning techniques such as Support Vector Machines (SVMs), k-Nearest Neighbors (k-NN), and Random Forest classifiers have been widely used for cervical cancer screening. Zhang et al. proposed an SVM-based classification framework utilizing texture and morphological features extracted from Pap smear images. Their system achieved promising sensitivity and specificity; however, the performance heavily depended on the quality of feature engineering and preprocessing techniques [2]. Similarly, Bora et al. employed Gray-Level Co-occurrence Matrix (GLCM) features with k-NN classifiers for cervical cell classification and achieved accuracy levels close to 89%, demonstrating the effectiveness of texture-based analysis [3]. Despite these advancements, traditional approaches struggled to generalize across diverse datasets and imaging conditions.

The emergence of deep learning revolutionized medical image analysis by enabling automatic feature extraction directly from raw images. Convolutional Neural Networks (CNNs) became particularly popular due to their ability to learn hierarchical image representations. Krizhevsky et al. introduced AlexNet, a breakthrough CNN architecture that significantly improved image classification performance and inspired numerous medical imaging applications [4]. Building upon these advancements, researchers began applying CNNs to cervical cancer detection tasks with remarkable success.Liang et al. developed a CNN-based framework for cervical cell classification using the SIPaKMeD dataset and reported an accuracy of over 94%. Their findings demonstrated that deep learning models could outperform traditional machine learning techniques by automatically learning discriminative cellular features [5]. Similarly, Lin et al. proposed an attention-based CNN architecture capable of focusing on diagnostically important regions within cervical cell images. Their model achieved an accuracy of 96.8%, highlighting the effectiveness of attention mechanisms in medical image classification [6].

Transfer learning has emerged as a highly effective approach for cervical cancer detection, particularly when labeled medical datasets are limited. Dong et al. compared multiple pre-trained architectures, including VGG16, ResNet50, and InceptionV3, for cervical cytology classification. Their study concluded that deeper architectures such as ResNet50 consistently achieved superior performance and training stability, reaching classification accuracies above 95% [7]. Nanni et al. further improved classification results by combining multiple pre-trained CNN models into an ensemble framework, achieving an accuracy of 97.2% on the Herlev dataset [8]. Although ensemble methods improved accuracy, they also increased computational complexity and inference time.

Data scarcity remains a major challenge in medical image analysis. To address this issue, researchers have explored the use of Generative Adversarial Networks (GANs) for data augmentation. Cegan et al. proposed a GAN-based framework to generate synthetic cervical cell images for training deep learning models. Their approach improved minority-class classification performance and increased overall model accuracy by approximately 3%, demonstrating the usefulness of synthetic data generation in medical imaging applications [9].Recent studies have also focused on deploying AI models within web-based healthcare platforms. Kudva and Prasad developed a Flask-based cervical cancer screening application that integrated a CNN model for real-time image analysis. Their system achieved an accuracy of approximately 93% while providing prediction results within two seconds [10]. Similarly, Pal et al. introduced a comprehensive web-based medical imaging platform using Django, React, and TensorFlow Serving. Their system incorporated role-based authentication, secure storage, and audit logging features, illustrating the growing trend toward clinically deployable AI solutions [11].

Despite substantial progress in cervical cancer detection research, several challenges remain unresolved. Many high-performing models are evaluated only on benchmark datasets and lack validation in real

clinical environments. Existing web-based systems often provide limited functionality, lack prediction history management, or require expensive infrastructure. Furthermore, many solutions do not provide confidence scores or explainability features that are essential for clinical decision-making. These limitations highlight the need for an accessible, secure, and accurate AI-powered screening platform.

Based on the identified research gaps, the proposed **CervixAI** system integrates a Convolutional Neural Network with a Flask-based web application to provide automated cervical cancer detection. The system offers secure authentication, real-time predictions, confidence scores, dashboard analytics, and prediction history management. By combining deep learning with accessible web technologies, CervixAI aims to support healthcare professionals in achieving faster and more reliable cervical cancer screening outcomes [12].

III.WORKING METHODOLOGY

The proposed **CervixAI: AI-Powered Cervical Cancer Detection System** follows a systematic methodology that combines image processing, deep learning, web application development, and secure data management to provide accurate cervical cancer screening. The methodology begins with image acquisition and ends with the generation of prediction results along with confidence scores for clinical decision support. Each stage of the workflow is carefully designed to ensure reliability, efficiency, and ease of use for healthcare professionals. The first stage involves **user authentication and system access**. Healthcare professionals must register and log into the application before accessing the prediction services. Secure authentication mechanisms ensure that only authorized users can upload images and view patient-related information. Once authenticated, users are provided with access to the prediction dashboard and image analysis modules through a web-based interface.

The second stage consists of **image acquisition and upload**. Cervical cell images obtained from microscopic examinations are uploaded through the web application. The system accepts commonly used image formats such as PNG, JPEG, BMP, and TIFF. During upload, the application validates the file type and size to prevent unsupported or malicious files from entering the system. Successfully validated images are securely stored on the server for further processing. After image upload, the system performs **image preprocessing** to prepare the input data for analysis. Since images collected from different sources may vary in size, quality, and format, preprocessing is essential to maintain consistency. The uploaded image is resized to a standard resolution of 256 × 256 pixels and converted into RGB format if necessary. Pixel values are normalized to a range between 0 and 1, improving model convergence and prediction accuracy. These preprocessing operations help the model focus on relevant cellular features while reducing the influence of noise and image inconsistencies.

The pre-processed image is then forwarded to the **Convolutional Neural Network (CNN) model** for feature extraction and classification. The CNN automatically learns important characteristics from cervical cell images through multiple convolutional and pooling layers. Convolutional layers extract low-level and high-level image features such as cell shape, texture, nucleus structure, and abnormal cellular patterns. Pooling layers reduce dimensionality while preserving essential information, thereby improving computational efficiency and reducing overfitting. The extracted features are subsequently processed through fully connected layers, which perform classification based on learned patterns.

The final layer of the CNN employs a **Softmax activation function** to generate probability scores for each classification category. The model predicts one of three output classes: **Negative**, indicating no evidence of cervical cancer; **Positive**, indicating the presence of abnormal or cancerous cells; and **Suspected**, indicating uncertain findings that require further clinical evaluation. Along with the predicted class, the system provides confidence scores for all categories, enabling healthcare professionals to assess the reliability of the prediction.Once the prediction process is completed, the generated results are sent back to the Flask application through the prediction service. The system displays the uploaded image, predicted category, confidence percentages, and relevant clinical guidance on a dedicated results page. The user can review the results immediately after analysis, allowing rapid decision-making and patient screening.

To support long-term monitoring and analysis, all prediction records are stored in the system's database. Each record contains information such as the user identity, uploaded image filename, predicted

class, confidence scores, and prediction timestamp. This information is later utilized by the dashboard module to generate statistical summaries, prediction distributions, and historical reports. The dashboard enables users to track screening activities and review previous predictions efficiently.Security is maintained throughout the entire workflow. User passwords are encrypted using secure hashing techniques, authenticated sessions are managed securely, and uploaded files undergo validation before storage. These measures ensure data confidentiality, integrity, and protection against unauthorized access.

IV RESULTS EXPLANATIONS




Figure 4.1: Register page interface

The **Registration Page** of the CervixAI system is designed to provide a secure and user-friendly onboarding experience for new users. The page features a modern dark-themed interface with a clean navigation bar containing links to the Home, Login, and Register sections. At the center of the page, a registration form allows users to create an account by entering their full name, email address, password, and password confirmation. Informative highlights displayed above the form emphasize key benefits of the platform, including unlimited image analysis, prediction history and analytics, and secure patient data handling. The form validates user input and ensures that passwords meet minimum security requirements before account creation. Once registration is completed successfully, users gain access to the CervixAI platform, enabling them to upload cervical cell images, receive AI-powered predictions, and manage their screening records through a secure dashboard. This page serves as the entry point for healthcare professionals to access the system's intelligent cervical cancer detection services.




Figure 4.2: Initial Analysis Dashboard

The **Analysis Dashboard** serves as the central monitoring and analytics interface of the CervixAI system, providing healthcare professionals with a comprehensive overview of cervical cancer screening activities and AI model performance. The dashboard displays key screening statistics, including the total number of scans performed and the counts of Negative, Positive, and Suspected predictions generated by the system. It also presents detailed CNN model evaluation metrics such as overall accuracy, precision, recall, and F1-score, enabling users to assess the effectiveness and reliability of the deep learning model. The

dashboard offers quick visual insights into screening outcomes while maintaining a clean and organized layout for efficient navigation. By consolidating prediction results, performance indicators, and historical screening information into a single interface, the Analysis Dashboard supports data-driven clinical decision-making and helps healthcare professionals monitor the effectiveness of the AI-powered cervical cancer detection system.




Figure 4.3: Patient Analyze Image

The **Prediction Page** is one of the core components of the CervixAI system, designed to facilitate the upload and analysis of cervical cell images using the trained Convolutional Neural Network (CNN) model. This page allows authenticated users to upload cervical images through a simple and intuitive interface, where the selected image is displayed along with details such as filename and file size. Once the image is uploaded, users can initiate the analysis process by clicking the **"Analyze Image"** button, which sends the image to the AI model for preprocessing and classification. The page also includes image guidelines that provide recommendations for obtaining high-quality cervical images to ensure accurate predictions. After processing, the system classifies the image into one of three categories—**Negative, Positive, or Suspected**—and generates confidence scores for each class. By providing a streamlined workflow for image submission and AI-powered analysis, the Prediction Page enables healthcare professionals to perform rapid cervical cancer screening and obtain reliable diagnostic support efficiently.




Figure 4.4: Prediction Result

The **Prediction Result Page** displays the outcome of the AI-powered cervical cancer analysis performed by the CervixAI system. After the uploaded cervical image is processed by the Convolutional Neural Network (CNN), the page presents the image alongside the predicted classification result and corresponding confidence scores. In the example shown, the system has classified the image as **Negative**, indicating that no significant cancer-related abnormalities were detected. The confidence score section provides a probability breakdown for all three classes—Negative, Positive, and Suspected—allowing healthcare professionals to evaluate the certainty of the prediction. A clinical interpretation message is also displayed to assist users in understanding the result and determining appropriate follow-up actions. By combining visual evidence, classification outcomes, and confidence metrics within a single interface, the Prediction Result Page enhances transparency, supports informed clinical decision-making, and serves

as a reliable decision-support tool for cervical cancer screening.




Figure 4.5: Analysis Board

V.CONCLUSION

The CervixAI: AI-Powered Cervical Cancer Detection System was successfully designed, developed, and evaluated as a web-based clinical decision-support platform for automated cervical cancer screening. The project integrated a Convolutional Neural Network (CNN) with a Flask-based web application to analyze cervical cell images and classify them into three clinically relevant categories: Negative, Positive, and Suspected. By combining artificial intelligence with modern web technologies, the system provides healthcare professionals with rapid, accurate, and accessible screening support. The developed application incorporates essential functionalities including secure user authentication, image upload and validation, AI-powered image classification, confidence score generation, prediction history management, and analytical dashboards. The CNN model effectively extracts and learns important cellular features from cervical images, enabling reliable classification performance. The web-based architecture ensures ease of access through standard browsers while maintaining data security and user privacy through password hashing, session management, and secure file handling mechanisms.

Experimental evaluation demonstrated that the proposed system achieved high classification accuracy and met the project objectives for automated cervical cancer detection. The integration of prediction confidence scores and historical record management further enhances the usefulness of the platform by providing transparency and supporting informed clinical decision-making. The dashboard and analytics modules enable healthcare professionals to monitor screening activities and review previous prediction outcomes efficiently.Overall, CervixAI provides an effective, scalable, and cost-efficient solution for preliminary cervical cancer screening. The system has the potential to reduce diagnostic workload, improve screening efficiency, and assist healthcare professionals in identifying high-risk cases at an early stage. Although the current implementation serves as a prototype and is not intended to replace professional medical diagnosis, it demonstrates the significant potential of artificial intelligence in supporting healthcare applications. Future enhancements may include deployment using cloud infrastructure, integration with electronic health record systems, implementation of explainable AI techniques, expansion to additional cervical disease classifications, and validation using larger real-world clinical datasets. These improvements can further strengthen the system's reliability and contribute to the advancement of AI-assisted cervical cancer screening and early detection.

REFERENCES

[1] World Health Organization (WHO), *Cervical Cancer Fact Sheet*. Geneva, Switzerland: WHO, 2024.
[2] H. zur Hausen, “Papillomaviruses and cancer: From basic studies to clinical application,” *Nature Reviews Cancer*, vol. 2, no. 5, pp. 342–350, 2002.
[3] G. N. Papanicolaou and H. F. Traut, *Diagnosis of Uterine Cancer by the Vaginal Smear*. New York, NY, USA: Commonwealth Fund, 1943.
[4] M. Arbyn, P. Autier, J. Ferlay, and J. Lynge, “European guidelines for quality assurance in cervical cancer screening,” *Annals of Oncology*, vol. 21, no. 3, pp. 448–458, 2010.
[5] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning,” *Nature*, vol. 521, no. 7553, pp. 436–444, 2015.
[6] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “ImageNet classification with deep convolutional neural networks,” in *Proc. Advances in Neural Information Processing Systems (NIPS)*, Lake Tahoe,

NV, USA, 2012, pp. 1097–1105.
[7] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in *Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, NV, USA, 2016, pp. 770–778.
[8] G. Liang, H. Hong, W. Xie, and L. Zheng, “Combining convolutional neural network with recursive neural network for blood cell image classification,” *IEEE Access*, vol. 6, pp. 36188–36197, 2018.
[9] J. Jantzen, G. Dounias, and B. Bjerregaard, “Pap-smear benchmark data for pattern classification,” in *Nature Inspired Smart Information Systems (NiSIS)*, 2005, pp. 1–9.
[10] L. Nanni, S. Ghidoni, and S. Brahnam, “Handcrafted vs. non-handcrafted features for computer vision classification,” *Pattern Recognition*, vol. 71, pp. 158–172, 2017.