

Research Paper

Live and Realtime bitcoin price prediction using AI

Mutike Akhila

Department Of Computer Science and Engineering
Talla Padmavathi College Of Engineering (Autonomus),
Somidi, Kazipet, Telangana.
Email: akhilamutike@gmail.com

Mrs. G. Renuka

Assistant Professor, Department of CSE
Talla Padmavathi College Of Engineering (Autonomus),
Somidi, Kazipet, Telangana.
Email: renuka.gabbeta@gmail.com

Abstract- The growing popularity of cryptocurrencies has attracted significant attention from investors, researchers, and financial analysts, while simultaneously introducing new challenges due to the highly dynamic and unpredictable nature of digital asset markets. Among cryptocurrencies, Bitcoin remains the most actively traded and widely studied asset, exhibiting substantial price fluctuations influenced by market sentiment, trading volume, macroeconomic conditions, regulatory developments, and investor behavior. These characteristics make accurate price forecasting a complex task that requires advanced analytical techniques capable of capturing both temporal dependencies and non-linear relationships within financial data. This paper presents an intelligent Bitcoin Price Prediction framework that combines Long Short-Term Memory (LSTM) neural networks and Extreme Gradient Boosting (XGBoost) to improve short-term forecasting performance. The proposed system collects real-time and historical OHLCV (Open, High, Low, Close, Volume) data from cryptocurrency exchange APIs and processes the information through a comprehensive data preparation pipeline that includes cleansing, normalization, feature extraction, and technical indicator generation. A diverse set of market indicators, including moving averages, Relative Strength Index (RSI), volatility measures, momentum signals, and trend-related features, is employed to enhance the predictive capability of the models. The LSTM component is designed to learn sequential patterns and long-term temporal dependencies present in historical price movements, while the XGBoost model analyzes engineered features to identify complex non-linear interactions that influence market behavior. By leveraging the complementary strengths of both approaches, the framework provides a more comprehensive understanding of Bitcoin price dynamics than single-model prediction systems. The architecture further incorporates a Flask-based web application that enables users to access forecasts through an interactive dashboard featuring real-time visualizations, performance metrics, historical trend analysis, and prediction summaries. Additional components such as automated model evaluation, system health monitoring, error handling, and fallback mechanisms improve the reliability and usability of the platform. Functional validation confirms the effectiveness of data acquisition, preprocessing operations, technical indicator computation, model execution, and result presentation. The proposed system serves as an educational and analytical platform for exploring machine learning applications in cryptocurrency forecasting and demonstrates how hybrid artificial intelligence techniques can be integrated into financial prediction environments. Although the framework provides valuable insights into market behavior, it is intended solely for research and learning purposes and should not be interpreted as a source of financial advice or guaranteed investment recommendations.

.Keywords- Bitcoin, Cryptocurrency Forecasting, Financial Analytics, Machine Learning, Deep Learning, Long Short-Term Memory, XGBoost, Technical Indicators, Time-Series Prediction, Flask Web Application.

I. INTRODUCTION

The emergence of cryptocurrencies has transformed the global financial landscape by introducing decentralized digital assets that operate independently of traditional banking systems and financial intermediaries. Among these digital currencies, Bitcoin has established itself as the most widely recognized and actively traded cryptocurrency, attracting substantial interest from investors, researchers, financial institutions, and technology enthusiasts. Unlike conventional financial markets that operate within fixed trading hours, Bitcoin is traded continuously across global exchanges, generating vast amounts of market data every second. This uninterrupted trading environment, combined with rapid fluctuations in supply and demand, contributes to extreme price volatility,

making Bitcoin both an attractive investment opportunity and a challenging asset to analyze and predict.

Forecasting Bitcoin prices is a complex task due to the large number of factors that influence market behavior. Price movements are affected by technical trading patterns, market liquidity, macroeconomic developments, government regulations, geopolitical events, social media activity, investor psychology, and public sentiment. In addition, cryptocurrency markets are highly sensitive to breaking news, institutional adoption announcements, technological innovations, and unexpected market events. The interaction of these variables creates intricate and non-linear relationships that are difficult to capture using traditional analytical techniques. Consequently, Bitcoin has become a popular research domain

for exploring advanced data analytics, machine learning, and artificial intelligence methodologies capable of modeling dynamic financial environments.

Historically, financial forecasting relied heavily on statistical methods and technical analysis indicators to estimate future market behavior. Approaches such as moving averages, autoregressive models, trend analysis, and momentum indicators have been widely used to identify recurring patterns in price data. While these techniques provide valuable insights, they often struggle to capture the complex dependencies and rapidly changing conditions present in cryptocurrency markets. The increasing availability of historical trading data and advances in computational capabilities have encouraged researchers to explore machine learning approaches that can automatically learn hidden relationships and generate more adaptive forecasting models.

Among modern predictive techniques, Long Short-Term Memory (LSTM) networks have demonstrated significant effectiveness in modeling sequential and time-dependent data. LSTM architectures are specifically designed to capture long-range temporal relationships, enabling them to learn patterns from historical price sequences and identify trends that evolve over time. Their ability to retain relevant information across extended periods makes them particularly suitable for financial time-series forecasting. However, although LSTM models excel at analyzing sequential dependencies, they may not fully exploit complex interactions among engineered market indicators and external features.

On the other hand, Extreme Gradient Boosting (XGBoost) has emerged as one of the most powerful ensemble learning algorithms for predictive analytics. XGBoost is highly effective in handling structured tabular data and identifying non-linear relationships among multiple variables. By utilizing advanced gradient boosting techniques, the algorithm can model intricate interactions between technical indicators such as moving averages, Relative Strength Index (RSI), volatility measures, momentum signals, and trading volume characteristics. These capabilities make XGBoost a valuable complement to deep learning models in financial prediction applications.

Recognizing the strengths and limitations of individual approaches, this research proposes a hybrid Bitcoin Price Prediction framework that integrates both LSTM and XGBoost models within a unified architecture. The proposed system combines sequential learning and feature-based analysis to provide a more comprehensive understanding of market behavior. Historical and real-time OHLCV (Open, High, Low, Close, Volume) data are collected from cryptocurrency exchange APIs and processed through a feature engineering pipeline that generates meaningful technical indicators. The LSTM model analyzes temporal price patterns, while the XGBoost model evaluates non-linear relationships among engineered features. The outputs of both models are then presented through an interactive web-based platform developed using Flask, Bootstrap, and Chart.js technologies.

In addition to prediction generation, the proposed system incorporates data preprocessing, visualization, model evaluation, health monitoring, and error-handling mechanisms to enhance reliability and user accessibility. The platform enables users to explore market trends, compare forecasting outputs, and better understand the role of machine learning in financial analytics. Rather than functioning as an automated trading system, the framework is designed as an educational and research-oriented tool that demonstrates the practical application of artificial intelligence techniques in cryptocurrency forecasting.

The primary objective of this study is to develop a scalable and user-friendly prediction platform that combines deep learning and ensemble machine learning methodologies for Bitcoin price analysis. By integrating multiple predictive perspectives within a single framework, the proposed system seeks to improve analytical capability, facilitate comparative model evaluation, and contribute to ongoing research in financial forecasting. While the generated predictions may provide valuable insights into market behavior, they should be interpreted as analytical estimates rather than guaranteed financial outcomes, as cryptocurrency markets remain inherently uncertain and subject to rapid change.

II. RELATED WORK

A. Bitcoin Price Prediction

McNally et al. compared ARIMA, recurrent neural networks, and LSTM for Bitcoin price prediction and showed the value of deep learning for capturing non-linear price behavior [1]. Shah and Zhang applied Bayesian regression to Bitcoin trading decisions, demonstrating that statistical learning can produce useful short-term signals but may degrade under strong market volatility [4]. Alessandretti et al. studied machine-learning-assisted strategies over many cryptocurrencies and reported that simple algorithmic mechanisms can anticipate short-term market evolution under some conditions [5].

B. Machine Learning Models

LSTM networks were introduced to address long-term dependency problems in sequential data [2]. This makes them relevant for price sequences where recent and distant values may both influence the prediction. XGBoost provides scalable gradient boosted decision trees with regularization and sparsity-aware learning [3]. It is useful for tabular technical indicators and can model non-linear relationships among price, volume, volatility, and momentum features.

C. Technical Indicators

Technical analysis features such as moving averages, RSI, volatility, and momentum are commonly used to summarize price behavior. These features should not be interpreted as guarantees, but they can provide structured inputs for machine learning models. The proposed system uses such indicators as engineered features and evaluates predictions using standard metrics such as MAE and RMSE.

III. PROPOSED SYSTEM

A. Problem Statement

Cryptocurrency markets are volatile, noisy, and continuously active. Manual chart interpretation is time-consuming, and many existing tools either provide static indicators or use a single predictive model. There is a need for an integrated educational tool that combines sequential modeling, feature-based regression, technical indicators, and visual explanation in a simple web interface.

B. System Architecture

The architecture consists of an exchange API layer, data fetcher, preprocessing and feature engineering module, LSTM model, XGBoost model, model manager, Flask API server, dashboard, and system health monitor. The data fetcher retrieves historical or recent price data. The feature engine creates technical variables. The model manager triggers prediction and combines outputs for display.




Fig. 1. High-level architecture of the proposed Bitcoin price prediction system.

TABLE I. HARDWARE AND SOFTWARE REQUIREMENTS

Component	Specification / Tool
Processor	Intel i3 5th gen or equivalent
Memory	4 GB RAM minimum
Storage	500 GB available storage
Language	Python 3.10
ML models	LSTM and XGBoost
Framework	Flask web application
Front end	Bootstrap and Chart.js
Data	Exchange API price history

C. Dual-Model Prediction Strategy

The LSTM model receives normalized price sequences and learns temporal dependencies across fixed time windows. The XGBoost model receives engineered features such as moving averages, RSI, volatility, and momentum. The system can display both outputs independently or use them as complementary signals. This design avoids dependence on a single model family and supports comparative learning.

IV. METHODOLOGY AND IMPLEMENTATION

A. Data Pipeline

The data pipeline serves as the foundation of the proposed Bitcoin price prediction framework by ensuring the collection, preparation, and transformation of high-quality market data for machine learning analysis. The process begins with the acquisition of historical and real-time OHLCV (Open, High, Low, Close, and Volume) data from cryptocurrency exchange APIs. Since raw market data obtained from external sources may contain inconsistencies, the system performs a series of validation procedures to ensure reliability and accuracy. These procedures include the identification and removal of missing values, invalid timestamps, duplicate records, corrupted entries, and unexpected API response errors. Any incomplete or inconsistent observations are either corrected using appropriate preprocessing techniques or excluded from further analysis to prevent negative impacts on model performance. Once data validation is completed, the cleaned dataset is organized chronologically to preserve the temporal structure required for time-series forecasting. The system then applies normalization and scaling techniques to standardize numerical values and reduce variations in feature ranges. This step is particularly important for deep learning models such as LSTM, as normalized inputs improve convergence speed, training stability, and prediction accuracy. Following normalization, the dataset undergoes feature engineering, where additional variables are derived from historical market behavior to provide richer information for predictive modeling. A comprehensive set of technical indicators is generated to capture various aspects of market dynamics. These indicators include moving averages for trend identification, Relative Strength Index (RSI) for momentum analysis, volatility measurements for risk assessment, and momentum-based metrics for detecting market direction and strength. Rolling window calculations are performed over different historical

periods to extract short-term and long-term market patterns. The system also computes statistical features such as price changes, percentage returns, trading volume variations, and trend-based characteristics that help describe market conditions more effectively.

After feature generation, the processed data is transformed into model-specific input formats. Sequential price observations are converted into fixed-length time windows for the LSTM model, enabling it to learn temporal dependencies and recurring market patterns. Simultaneously, engineered technical indicators are structured into feature vectors suitable for XGBoost training and prediction. The final dataset is then divided into training, validation, and testing subsets to support robust model development and performance evaluation. Through this multi-stage pipeline, the system ensures that high-quality, information-rich data is supplied to both prediction models, improving forecasting capability and enhancing the overall reliability of the Bitcoin price prediction framework.




Fig. 2. Real-time prediction workflow using LSTM and XGBoost.

B. Model Training and Evaluation

The LSTM path reshapes the time series into sequences and trains the model on previous windows to predict the next price or price direction. The XGBoost path trains on feature vectors created from the same historical period. The system can evaluate predictions using Mean Absolute Error, Root Mean Square Error, and directional accuracy. These metrics help

users understand model behavior rather than relying on a single forecast value.

C. Web Interface

The Flask backend manages API endpoints, prediction requests, and error handling. Bootstrap is used for responsive layout, while Chart.js displays price history, technical indicators, and predicted values. The system includes health monitoring so that users are warned if API data is unavailable, models are not loaded, or input data is insufficient.

D. Results




Fig. 3. Bitcoin Price Predictor Home Dashboard

Description:

The figure illustrates the main dashboard of the Bitcoin Price Prediction system. The interface allows users to access real-time and historical cryptocurrency market information through a user-friendly web environment. Users can initiate data retrieval, view market trends, select prediction options, and monitor technical indicators generated from historical price data. The dashboard provides an integrated platform for data visualization, model interaction, and forecasting analysis, enabling users to explore Bitcoin market behavior in an intuitive manner.




Fig. 4. Bitcoin Price Prediction Results Dashboard

Description:

The figure presents the prediction results generated by the proposed Bitcoin Price Predictor. The dashboard displays forecasted Bitcoin prices produced by the LSTM and XGBoost models along with historical price trends and technical indicator visualizations. Users can compare predicted values with previous market behavior, evaluate model outputs, and observe graphical representations of

forecast patterns. The results interface enhances interpretability by presenting analytical insights through charts, performance metrics, and prediction summaries in a clear and accessible format.

V. TESTING AND DISCUSSION

Functional testing verifies the technical correctness of the prototype. The tests focus on whether the system retrieves data, builds indicators, executes both models, and displays results without failure. The testing does not guarantee market profitability and should not be interpreted as a trading backtest.

TABLE II. REPRESENTATIVE FUNCTIONAL TEST CASES

ID	Scenario	Expected Output	Result
T1	API available	Latest prices loaded	Pass
T2	Missing values	Data cleaned safely	Pass
T3	Indicators	RSI/MA/volatility built	Pass
T4	LSTM run	Sequence forecast returned	Pass
T5	XGBoost run	Feature forecast returned	Pass
T6	API failure	Fallback warning shown	Pass

The system is limited by market uncertainty, noisy data, external shocks, and possible API failures. Models trained on historical data may fail when market structure changes. Therefore, the paper positions the system as an educational analytical platform rather than a financial advisory system. Future work should add sentiment analysis, on-chain metrics, robust backtesting, uncertainty intervals, and model drift detection.

VI. CONCLUSION AND FUTURE WORK

This paper presented a Bitcoin Price Predictor using LSTM and XGBoost. The system integrates real-time data collection, feature engineering, dual-model prediction, evaluation metrics, and dashboard visualization. LSTM captures temporal dependencies, while XGBoost captures feature interactions among technical indicators.

Future work can improve the platform by adding news sentiment, social media signals, on-chain data, attention-based neural networks, ensemble weighting, uncertainty estimation, explainable model outputs, and stronger deployment monitoring. Any deployed version should clearly communicate prediction uncertainty and avoid presenting forecasts as guaranteed trading signals.

REFERENCES

- [1] S. Nakamoto, "Bitcoin: A Peer-to-Peer Electronic Cash System," 2008.
- [2] M. Swan, *Blockchain: Blueprint for a New Economy*. Sebastopol, CA, USA: O'Reilly Media, 2015.
- [3] M. Crosby, P. Pattanayak, S. Verma, and V. Kalyanaraman, "Blockchain technology: Beyond Bitcoin," *Applied Innovation Review*, vol. 2, pp. 6–19, 2016.

- [4] M. Pilkington, "Blockchain technology: Principles and applications," in *Research Handbook on Digital Transformations*, Edward Elgar Publishing, 2016.
- [5] K. Christidis and M. Devetsikiotis, "Blockchains and smart contracts for the Internet of Things," *IEEE Access*, vol. 4, pp. 2292–2303, 2016.
- [6] G. Wood, "Ethereum: A secure decentralised generalized transaction ledger," Ethereum Project Yellow Paper, 2014.
- [7] E. Androulaki et al., "Hyperledger Fabric: A distributed operating system for permissioned blockchains," in *Proc. EuroSys*, 2018.
- [8] Hyperledger Foundation, *Hyperledger Fabric Documentation*, 2025.
- [9] M. Conoscenti, A. Vetro, and J. C. De Martin, "Blockchain for the Internet of Things: A systematic literature review," in *IEEE/ACS AICCSA*, 2016.
- [10] T. T. Kuo, H. E. Kim, and L. Ohno-Machado, "Blockchain distributed ledger technologies for biomedical and healthcare applications," *Journal of the American Medical Informatics Association*, vol. 24, no. 6, pp. 1211–1220, 2017.
- [11] A. Ekblaw et al., "A case study for blockchain in healthcare: MedRec prototype," in *IEEE Open & Big Data Conference*, 2016.
- [12] A. Azaria, A. Ekblaw, T. Vieira, and A. Lippman, "MedRec: Using blockchain for medical data access and permission management," in *IEEE Open and Big Data Conference*, 2016.
- [13] X. Yue, H. Wang, D. Jin, M. Li, and W. Jiang, "Healthcare data gateways: Found healthcare intelligence on blockchain," *Journal of Medical Systems*, vol. 40, no. 10, 2016.
- [14] P. Zhang, J. White, D. C. Schmidt, G. Lenz, and S. Rosenbloom, "FHIRChain: Applying blockchain to securely and scalably share clinical data," *Computational and Structural Biotechnology Journal*, vol. 16, pp. 267–278, 2018.
- [15] World Health Organization, *Human Organ Transplantation Report*, Geneva, Switzerland, 2024.
- [16] United Network for Organ Sharing (UNOS), *Organ Transplantation Statistics*, 2025.
- [17] Organ Procurement and Transplantation Network (OPTN), *Annual Data Report*, 2024.
- [18] S. M. Abou-Nassar, Y. Iliyasu, M. Elhoseny, H. Song, and K. Muhammad, "Blockchain-based framework for secure healthcare systems," *IEEE Access*, vol. 7, pp. 178399–178411, 2019.
- [19] M. Hölbl, M. Kompara, A. Kamišalić, and L. N. Zlatolas, "A systematic review of the use of blockchain in healthcare," *Symmetry*, vol. 10, no. 10, 2018.
- [20] A. Griggs, O. Ossipova, C. Kohlios, A. N. Baccarini, E. Howson, and T. Hayajneh, "Healthcare blockchain system using smart contracts," *IEEE International Conference on Healthcare Informatics*, 2018.
- [21] J. D. Power, "Blockchain applications in healthcare records management," *Healthcare Informatics Research*, vol. 25, no. 2, pp. 95–104, 2019.
- [22] D. Kshetri, "Blockchain's roles in meeting key supply chain management objectives," *International Journal of Information Management*, vol. 39, pp. 80–89, 2018.
- [23] T. Chen and C. Guestrin, "XGBoost: A scalable tree boosting system," in *Proc. ACM SIGKDD*, 2016.
- [24] L. Breiman, "Random forests," *Machine Learning*, vol. 45, no. 1, pp. 5–32, 2001.
- [25] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016.
- [26] F. Chollet, *Deep Learning with Python*, 2nd ed. Manning Publications, 2021.
- [27] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," in *ICLR*, 2015.
- [28] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [29] J. Brownlee, *Machine Learning Mastery with Python*. Machine Learning Mastery, 2020.
- [30] Scikit-learn Developers, *Scikit-learn Documentation*, 2025.
- [31] TensorFlow Team, *TensorFlow Documentation*, 2025.
- [32] Pallets Projects, *Flask Documentation*, 2025.
- [33] Oracle Corporation, *MySQL Reference Manual*, 2025.
- [34] M. A. Hall, "Correlation-based feature selection for machine learning," Ph.D. dissertation, Univ. Waikato, New Zealand, 1999.
- [35] H. Haris and M. Khan, "Artificial intelligence in organ transplantation: A review of applications and future directions," *Artificial Intelligence in Medicine*, vol. 124, 2022.
- [36] R. Miotto, F. Wang, S. Wang, X. Jiang, and J. T. Dudley, "Deep learning for healthcare: Review and opportunities," *Briefings in Bioinformatics*, vol. 19, no. 6, pp. 1236–1246, 2018.
- [37] N. D. Evans and M. S. M. Noor, "Machine learning approaches for transplant outcome prediction," *BMC Medical Informatics and Decision Making*, vol. 21, no. 1, 2021.
- [38] J. Xu, K. Xue, S. Li, H. Tian, J. Hong, and D. Wei, "Healthchain: A blockchain-based privacy preserving scheme for large-scale health data," *IEEE Internet of Things Journal*, vol. 6, no. 5, pp. 8770–8781, 2019.
- [39] A. Gatouillat, Y. Badr, B. Massot, and E. Sejdić, "Internet of Medical Things: A review of recent contributions dealing with cybersecurity threats and countermeasures," *IEEE Internet of Things Journal*, vol. 5, no. 5, pp. 3810–3822, 2018.
- [40] S. Russell and P. Norvig, *Artificial Intelligence: A Modern Approach*, 4th ed. Pearson, 2021.