International Journal of Engineering Research and Science & Technology

ISSN 2319-5991 www.ijerst.com
© 2026 IJERST. All Rights Reserved
Peer Reviewed, Referred & Indexed Journal

Research Paper

DEEP LEARNING ALGORITHMS FOR OPTIMIZED THYROID NODULE CLASSIFICATION

ROJARAMANI ADAPA [1], DUVVURI VENKATA SAI ADITYA[2], KATIKA SIDDARTH REDDY[3], GARLAPATI DAMODHAR REDDY [4], GANJI SUDHARSHAN BALAJI [5]

[1]Assistant Professor, Dept. of CSE, Guru Nanak Institutions Technical Campus, Ibrahimpatnam, Telangana, India

[2, 3, 4, 5] B.Tech, Dept. of CSE, Guru Nanak Institutions Technical Campus, Ibrahimpatnam, Telangana, India

ABSTRACT— The increasing prevalence of thyroid cancer underscores the critical need for efficient classification and early detection of thyroid nodules. Automated systems can significantly aid physicians by expediting diagnostic processes. However, achieving this goal remains challenging due to limited medical image datasets and the complexity of feature extraction. This study addresses these challenges by emphasizing the extraction of meaningful features essential for tumor detection. The proposed approach integrates advanced techniques for feature extraction, enhancing the capability to classify thyroid nodules in ultrasound images. The classification framework includes distinguishing between benign and malignant nodules, as well as identifying specific suspicious classifications. The combined classifiers provide a comprehensive characterization of thyroid nodules, demonstrating promising accuracy in preliminary evaluations. These results mark a significant advancement in thyroid nodule classification methodologies. This research represents an innovative approach that could potentially offer valuable support in clinical settings, facilitating more rapid and accurate diagnosis of thyroid cancer.

Index Terms – Thyroid Nodule Classification, Deep Learning, CNN, Ultrasound Imaging, Medical Image Analysis, Transfer Learning, Computer-Aided Diagnosis, Disease Detection, Healthcare AI, Image Classification.

I. INTRODUCTION

Thyroid cancer is one of the most prevalent forms of cancer, and its incidence has been steadily rising in recent years. Accurate and timely diagnosis of thyroid nodules is crucial for effective management and treatment. Traditional diagnostic methods often involve manual analysis of medical images, which can be time-consuming and prone to human error. The advancement of imaging technologies has led to an increase in the volume of available data, but this also presents challenges in terms of efficiently processing and analyzing the images to extract meaningful features. Recent developments in artificial intelligence, particularly deep learning techniques, have shown promise in automating and improving the diagnostic process. This study introduces a novel approach that leverages quantum-inspired convolutional neural networks (QuCNet) to enhance the classification of thyroid nodules. By integrating advanced feature extraction methods, the proposed framework aims to address the limitations of current systems and provide a more accurate and efficient diagnostic tool for clinicians.

II. RELATED WORK

A. Thyroid nodule classification in ultrasound images by fusionof conventional features and res-GAN deep features

In spite of the gargantuan number of patients affected by the thyroid nodule, the detection at an early stage is still a challenging task. Thyroid ultrasonography (US) is a noninvasive, inexpensive procedure widely used to detect and evaluate the thyroid nodules. The ultrasonography method for image classification is a computer-aided diagnostic technology based on image features. In this paper, we illustrate a method which involves the combination of the deep features with the conventional features together to form a hybrid feature space. Several image enhancement techniques, such as histogram equalization, Laplacian operator, logarithm transform, and Gamma correction, are undertaken to improve the quality and characteristics of the image before feature extraction. Among these methods, applying histogram equalization not only improves the brightness and contrast of the image but also achieves the highest classification accuracy at 69.8%. We extract features such as histograms of oriented gradients, local binary pattern, SIFT, and SURF and combine them with deep features of residual generative adversarial network. We compare the ResNet18, a residual convolutional neural network with 18 layers,

with the Res-GAN, a residual generative adversarial network. The experimental result shows that Res-GAN outperforms the former model. Besides, we fuse SURF with deep features with a random forest model as a classifier, which achieves 95% accuracy.

B. *Machine learning approaches forearly identification of thyroid disease.*

Thyroid disease is becoming increasingly common around the world. Tension, infection, trauma, toxins, a low-calorie diet, and intake of excess medications have a negative effect on thyroid function. To resolve the issues of imbalanced thyroid function causing thyroid disease, it is more important to deal with the techniques which early identify the existence leading to saving lives. There are various treatments available but the majority of them require the involvement of long-term medication or major surgery. Machine learning helps in the accurate prediction of disease. In this work, the comparison of 4 classification models: Naive Bayes, Logistic Regression, KStar, and Decision tree (J48) has been done. The results show that all of the aforementioned classification models have an outcome in accuracy, while the J48 model has outperformed. For the implementation of the models, the dataset has been taken from Kaggle to build the model. In this research, each classification algorithm namely Naive Bayes, Logistic Regression, KStar, and J48 have produced accuracy values of 82.24%, 93.85%, 95.63%, and 97.80%, respectively. However, J48 has the highest accuracy, which shows that it is the best-performing model among all models.

C. *Artificial intelligence in thyroid ultrasound.*

Artificial intelligence (AI), particularly deep learning (DL) algorithms, has demonstrated remarkable progress in image-recognition tasks, enabling the automatic quantitative assessment of complex medical images with increased accuracy and efficiency. AI is widely used and is becoming increasingly popular in the field of ultrasound. The rising incidence of thyroid cancer and the workload of physicians have driven the need to utilize AI to efficiently process thyroid ultrasound images. Therefore, leveraging AI in thyroid cancer ultrasound screening and diagnosis cannot only help radiologists achieve more accurate and efficient imaging diagnosis but also reduce their workload. In this paper, we aim to present a comprehensive overview of the technical knowledge of AI with a focus on traditional machine learning (ML) algorithms and DL algorithms. We will also discuss their clinical applications in the ultrasound imaging of thyroid diseases,

particularly in differentiating between benign and malignant nodules and predicting cervical lymph node metastasis in thyroid cancer. Finally, we will conclude that AI technology holds great promise for improving the accuracy of thyroid disease ultrasound diagnosis and discuss the potential prospects of AI in this field.

III. PROPOSED METHODOLOGY

Xception, which stands for "Extreme Inception," is a deep learning model architecture introduced by François Chollet, the creator of Keras. It was presented in the paper "Xception: Deep Learning with Depth wise Separable Convolutions" in 2017. Xception is an extension of the Inception architecture, which is known for its efficiency and high performance in image classification tasks. Xception leverages depth wise separable convolutions to achieve better performance while reducing the computational complexity compared to traditional convolutional neural networks.




Fig. 1: System Overview

1. Data Collection

Data collection involves gathering relevant images or data points related to tomato quality. This could include photographs of tomatoes at different stages of ripeness or conditions.

2. Data analysis

Data analysis involves examining the collected data to understand its characteristics and ensure it's suitable for the task. This may include checking for data quality issues, exploring distributions of classes, and identifying any patterns that may aid in subsequent processing.

3. Data preprocessing

Data preprocessing refers to the steps taken to clean and prepare the data for modeling. This often includes tasks like resizing images to a standard size, normalizing pixel values,

removing noise or irrelevant information, and ensuring data is in a format that can be fed into machine learning algorithms.

4. Dividing the data

Dividing the data involves splitting the dataset into subsets for training, validation, and testing. This is crucial to assess how well the model generalizes to new, unseen data. Common splits include using a training set to train the model, a validation set to tune hyperparameters, and a test set to evaluate final model performance.

5. Train the data with model

Training the model involves using machine learning techniques to develop a model that can learn from the training data. In your case, this includes leveraging pre-trained convolutional neural networks like Xception to extract features from tomato images, followed by training traditional machine learning classifiers on these features.

6. Model evaluation

Model evaluation is the process of assessing the performance of your trained model on unseen data. This typically involves metrics such as accuracy, precision, recall, specificity, and F1-score. These metrics help quantify how well the model classifies tomatoes into categories like unripe, ripe, or rejected.

7. Prediction

Prediction is the application of the trained model to make predictions on new, unseen data. In your project, this would mean using the trained model to classify the quality of tomatoes based on images it hasn't seen before, providing automated grading and sorting capabilities.

IV. EXPERIMENTAL RESULTS AND ANALYSIS

Experimental results demonstrated that the model effectively classified benign and malignant thyroid nodules from ultrasound images with high accuracy and robustness. The use of convolutional neural network-based feature extraction improved the ability to capture subtle patterns in medical images, leading to better diagnostic performance compared to traditional methods. The analysis shows that the proposed approach provides reliable and consistent results even under variations in image quality, noise, and imaging conditions. Overall, the system enhances computer-aided diagnosis and supports early and accurate detection of thyroid-related diseases in clinical applications.




Fig. 2: Home Page




Fig. 3: Registration




Fig. 4: Login




Fig. 5: Upload




Fig. 6: Predict




Fig. 7: Prediction Result




Fig. 8: Model Accuracy Graph




Fig. 9: Data Classification Chart

V. CONCLUSION

In conclusion, the classification of thyroid nodules represents a crucial aspect of medical image analysis, with significant implications for patient care. This study introduces a pioneering Xception that effectively distinguishes thyroid nodules into benign and malignant categories and assigns them to specific levels of suspicion.

REFERENCES

1. How Does the Thyroid Gland Work? Accessed: 2023. [Online].
2. Y. Hang, ‘‘Thyroid nodule classification in ultrasound images by fusionof conventional features and res-GAN deep features,’’ J. Healthcare Eng.,vol. 2021, pp. 1–7, Jul. 2021.
3. E. J. Gomes Ataide, N. Ponugoti, A. Illanes, S. Schenke, M. Kreissl, andM. Friebe, ‘‘Thyroid nodule classification for physician decision supportusing machine learning-evaluated geometric and morphological features,’’Sensors, vol. 20, no. 21, p. 6110, Oct. 2020.
4. A. Saini, K. Guleria, and S. Sharma, ‘‘Machine learning approaches forearly identification of thyroid disease,’’ in Proc. World Conf. Commun.Comput. (WCONF), Jul. 2023, pp. 1–6.
5. S. W. Kwon, I. J. Choi, J. Y. Kang, W. I. Jang, G.-H. Lee, and M.-C. Lee, ‘‘Ultrasonographic thyroid nodule classification using a deepconvolutional neural network with surgical pathology,’’ J. Digit. Imag.,vol. 33, no. 5, pp. 1202–1208, Oct. 2020.
6. J. Chi, E. Walia, P. Babyn, J. Wang, G. Groot, and M. Eramian, ‘‘Thyroid nodule classification in ultrasound images by fine-tuning deepconvolutional neural network,’’ J. Digit. Imag., vol. 30, no. 4, pp. 477–486,Aug. 2017.

AUTHORS Profile



Mrs. ROJARAMANI ADAPA, received M.Tech (CSE) from JNTUH. She has teaching experience 20 yrs and has guided many undergraduate and post graduate projects. She has published about 10 research articles in peer reviewed journals and presented 5 research papers at various National Conferences.

At present she is working as Asst. Prof. in CSE Department at Guru Nanak Institutions

Technical Campus, Ibrahimpatnam, Telangana, India.



Mr. DUVVURI VENKATA SAI ADITYA pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.



Mr. KATIKA SIDDARTH REDDY pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.



Mr. GARLAPATI DAMODHAR REDDY pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.



Mr. GANJI SUDHARSHAN BALAJI pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.