ISSN 2319-5991 www.ijerst.com
© 2026 IJERST. All Rights Reserved
Peer Reviewed, Referred & Indexed Journal

Research Paper

TOWARDS EFFICIENT SOLAR PANEL FAULT DETECTION THROUGH NEURAL NETWORK MODELING

DARAM KUSUMA KUMARI [1], GIRMAJI SAIPRASAD [2], GADDAM SHIVA KUMAR YADAV [3], GOGIREDDY CHARAN REDDY[4], MADDULA ABHILASH REDDY [5]

[1]Assistant Professor, Dept. of CSE, Guru Nanak Institutions Technical Campus, Ibrahimpatnam, Telangana, India

[2, 3, 4, 5] B.Tech, Dept. of CSE, Guru Nanak Institutions Technical Campus, Ibrahimpatnam, Telangana, India

ABSTRACT— Solar power is a clean, renewable energy source with minimal greenhouse gas emissions, playing a vital role in combating climate change and enhancing energy self-sufficiency. Early fault detection, such as shading, cracking, or electrical malfunctions, is crucial for maintaining maximum efficiency and preventing system failures. This work presents a deep learning model based on the ResNet50 architecture, designed for the identification of faults caused by contaminants on the surface of solar panels. ResNet50, with its residual learning framework and deep hierarchical feature extraction, enables effective handling of vanishing gradient problems while capturing fine-grained patterns in solar panel images. Its skip connections improve learning efficiency and robustness, making it suitable for detecting subtle surface abnormalities under diverse environmental conditions. The proposed model is trained on a comprehensive dataset of clean and faulty solar panels under various weather scenarios, ensuring robustness against variations in lighting, dust accumulation, and physical damage. Unlike traditional machine learning methods that require handcrafted features or additional classifiers, the ResNet50-based approach directly performs end-to-end learning, enhancing detection efficiency. This study highlights the potential of ResNet50 to provide a robust, efficient, and automatic solution for solar panel fault

detection. By enabling reliable identification of surface defects, the proposed system contributes to improved maintenance strategies and long term reliability of solar energy systems.

Index Terms – Solar Panel Fault Detection, Neural Networks, Photovoltaic Systems, Fault Diagnosis, Deep Learning, Predictive Maintenance, Renewable Energy, Artificial Intelligence, Condition Monitoring, Smart Energy Systems.

I. INTRODUCTION

Solar energy has emerged as one of the most promising renewable energy sources, providing a sustainable and environmentally friendly alternative to conventional fossil fuels. With the growing global demand for clean energy, solar power plays a significant role in reducing greenhouse gas emissions, combating climate change, and ensuring longterm energy security. However, the efficiency and reliability of solar panels can be significantly affected by various types of surface defects, including dust accumulation, shading, cracks, and electrical malfunctions. These issues, if not detected early, can lead to substantial performance losses, increased maintenance costs, and even permanent damage to photovoltaic systems. Therefore, the development of advanced and reliable fault detection mechanisms is essential to ensure optimal energy production and extended lifespan of solar panels. Traditional fault detection methods often rely on manual inspection or handcrafted feature-based machine learning approaches. While these methods have shown some effectiveness, they are generally time-consuming, laborintensive, and prone to errors, especially when dealing with large-scale solar farms. Furthermore, environmental variations such as changing weather conditions, lighting differences, and panel aging introduce additional challenges, making accurate fault identification more complex. In this context, deep learning has emerged as a transformative solution due to its ability to automatically extract features and perform robust classification from raw image data. Among various deep learning architectures, ResNet50 has gained significant attention for its capability to overcome the vanishing gradient problem and extract fine-grained features from complex datasets. Its residual learning framework, supported by skip connections, enables deeper network training without performance degradation, making it highly suitable for solar panel fault detection. Unlike shallow learning models, ResNet50 can capture intricate surface abnormalities

such as micro-cracks, dust patches, or uneven shading that are difficult to identify with traditional techniques. Moreover, its end-to-end learning framework eliminates the need for separate feature engineering or additional classifiers, thereby improving efficiency and accuracy in real-world scenarios. By training the proposed ResNet50-based model on a comprehensive dataset comprising both clean and faulty solar panel images under diverse environmental conditions, this study ensures robustness and adaptability. The ability of the model to generalize across varying lighting, weather, and contamination scenarios highlights its potential for practical deployment in solar farms. Implementing such automated detection systems can help operators identify faults at an early stage, allowing for predictive maintenance and reduced downtime. Ultimately, this approach not only enhances energy yield but also promotes the long-term sustainability of solar energy systems, aligning with global efforts toward renewable energy adoption and environmental conservation.

II. RELATED WORK

A. Deep Residual Networks for Solar Panel Contamination Detection

This study applies ResNet50 and ResNet101 architectures to classify surface contamination issues on solar panels. The model learns hierarchical patterns of dust, dirt streaks, and pollutant deposits under varied lighting scenarios. Residual skip connections mitigate vanishing gradients, allowing effective learning of subtle defects. Dataset includes annotated clean and contaminated panel images captured across seasons. Comparison with shallow CNNs shows ResNet models deliver higher classification accuracy and robustness. Transfer learning from ImageNet significantly accelerates convergence and reduces overfitting. The network remains efficient enough for near realtime monitoring on edge devices. Results demonstrate consistent fault detection regardless of weather-driven lighting variability. The authors highlight potential deployment in automated cleaning and maintenance systems. This work underscores the value of deep residual learning for precise solar panel health assessment.

B. Transfer Learning of Pre-Trained CNNs for Dust and Crack Detection in PV Panels

This paper leverages pre-trained CNNs—including ResNet50, InceptionV3, and EfficientNet—for detecting dust, cracks, and hotspots. Fine-tuning on specialized solar panel datasets improves performance over

training from scratch. ResNet50 achieves superior accuracy in distinguishing between multiple fault types. Models are tested under varying sun angles, shadow patterns, and reflections, ensuring real-world applicability. Data augmentation techniques (brightness shifts, rotations) enhance robustness. ResNet50 shows stable performance with limited labeled data due to transfer learning. Comparison with classical ML (SVM on handcrafted features) confirms deep learning's edge. The study includes inference-time benchmarks, validating feasibility on embedded systems. Authors recommend ResNet50-based pipelines for cost-effective preventive maintenance. This reinforces the trend towards automated, scalable solar inspection solutions.

C. Real-Time Solar Panel Damage Detection Using Lightweight Deep Networks

Focuses on lightweight CNNs (MobileNetV2 and ResNet18) for efficient fault detection such as cracks and stains. Emphasizes resource efficiency for deployment on drones and mobile inspection platforms. ResNet18, with fewer layers than ResNet50, still captures fine defect features effectively. Data collected under diverse weather (cloudy, sunny, dusk) ensures generalization to field conditions. Results show ResNet18 balances accuracy and speed, with near-ResNet50 performance at lower cost. Models exhibit robustness to glare and directional lighting, crucial for outdoor monitoring. Edgeoptimized inference enables real-time decision-making during flyovers. Comparison with classical ML underlines superior resilience of deep features. The study proposes a hybrid: ResNet18 for fast scanning and ResNet50 for detailed follow-up. This work advances practical deployment strategies for intelligent solar panel diagnostics.

III. PROPOSED METHODOLOGY

The proposed system is designed to automatically detect faults in solar panels using images captured under various environmental conditions. It includes a structured pipeline consisting of image preprocessing, feature extraction, and fault classification. Preprocessing involves resizing, normalization, and augmentation to enhance the robustness of the model against variations such as lighting, shadows, and panel orientation. The system is intended to operate in real-time, enabling efficient monitoring of solar panels with minimal human intervention. The system employs a modular design, allowing each component to function independently while contributing to the overall fault detection task. This

modularity ensures scalability and flexibility, making it easier to adapt the system to new datasets or integrate additional fault types. The output of the system provides actionable insights for maintenance teams, supporting timely intervention and improving the overall reliability and efficiency of solar energy systems.




Fig. 1: System Overview

1. Dataset:

The dataset forms the foundation of the solar fault panel detection system. It contains images or sensor readings collected from solar panels under various conditions, including normal and faulty states. Each entry in the dataset is labeled to indicate whether the panel is functioning correctly or has faults such as cracks, dust deposition, or connection issues. This labeled dataset ensures that the model learns to distinguish between healthy and defective panels. The quality and diversity of the dataset play a crucial role in improving the model's accuracy and generalization.

2. Importing the Necessary Libraries:

In this module, the required Python libraries and frameworks are imported to facilitate data processing and model building. Libraries like NumPy, Pandas, and Matplotlib are used for handling and visualizing data, while TensorFlow/Keras are employed for building deep learning models. Additional libraries such as scikit-learn assist in preprocessing tasks, splitting data, and evaluating the model. Importing the correct set of libraries ensures the entire workflow from data preparation to prediction functions smoothly and efficiently.

3. Splitting the Dataset:

To properly evaluate the performance of the solar fault detection model, the dataset is divided into training, validation, and testing sets. The training set is used to teach the model how to identify different fault patterns, while the validation set fine-tunes hyperparameters to avoid overfitting. The testing set provides an unbiased evaluation of how the model performs on unseen data. Splitting the dataset ensures a balanced learning process and allows for more reliable and realistic accuracy measurements of the trained system.

4. Building the Model:

In this module, a deep learning model—typically a Convolutional Neural Network (CNN)—is constructed to analyze solar panel data. The model is designed with multiple layers to extract and learn important features

such as cracks, discoloration, or hotspot patterns. Different activation functions, optimizers, and dropout layers are used to enhance performance and reduce overfitting. Training the model involves feeding the dataset and adjusting weights until it can accurately classify whether a solar panel is faulty or not. This module is the core of the fault detection system.

5.Accuracy on Test Set:

After the model is trained, its performance is tested on the unseen test dataset. Metrics such as accuracy are calculated to evaluate how well the system detects faults. A high accuracy score indicates that the model has successfully learned to distinguish between normal and faulty panels. Analyzing test accuracy also helps identify weaknesses, such as misclassification of certain fault types. This module validates the effectiveness of the model before real-world deployment in solar energy systems.

6. Saving the Trained Model:

Once the model has achieved satisfactory performance, it is saved for future use without retraining. Libraries such as .h5 functions are employed to preserve the model's architecture and learned weights. Saving the trained model makes it possible to deploy the system in real-time monitoring applications, where new data can be tested instantly. This step ensures scalability and practical use of the project, enabling energy companies to integrate the fault detection system into their solar infrastructure seamlessly.

IV. EXPERIMENTAL RESULTS AND ANALYSIS

Experimental results demonstrated that the model effectively identified various photovoltaic system faults, including hotspot formation, shading effects, cell degradation, and open-circuit conditions, with high detection accuracy. The neural network successfully learned complex patterns from sensor measurements and operational data, enabling early identification of abnormalities. The analysis showed that the proposed approach maintained robust performance under varying environmental conditions such as changes in temperature, solar irradiance, and weather patterns.



Fig. 2: Home Page



Fig. 3: Registration




Fig. 4: Login




Fig. 5: Uploading Image




Fig. 6: Predicted Results

V. CONCLUSION

The solar panel fault detection project demonstrates the effective use of deep learning for enhancing the reliability and efficiency of solar energy systems. By utilizing the ResNet50 architecture, the model can automatically extract fine-grained features from solar panel images, identifying defects such as cracks, dust accumulation, and shading with high accuracy. The project reduces the need for manual inspections, which are timeconsuming, labor-intensive, and prone to errors. Evaluations on diverse datasets show that the system is robust against varying environmental conditions, including changes in lighting and weather. Saving the trained model ensures easy deployment and scalability for real-world applications. This project highlights the potential of AI-based solutions in renewable energy management, providing timely detection and maintenance of solar panels to maximize energy output. With further enhancements, the system can be integrated into automated monitoring frameworks, drones, and IoT platforms. By enabling predictive maintenance, it can prevent costly failures and extend the operational lifespan of solar installations. The work contributes to sustainable energy practices and supports

global efforts toward reducing carbon emissions. Ultimately, this project bridges the gap between technology and renewable energy, demonstrating how intelligent systems can improve operational efficiency and reliability. The study lays the foundation for future research in combining visual and sensor data for comprehensive solar panel monitoring. Through continuous learning and adaptation, this system can evolve to handle new fault types and large-scale deployments. In essence, it represents a step forward in making solar energy systems smarter, safer, and more sustainable.

REFERENCES

[1] T. Salamah, A. Ramahi , K. Alamara , A. Juaidi, R. Abdallah , M. A. Abdelkareem , E.-C. Amer, and A. G. Olabi, "Effect of dust and methods of cleaning on the performance of solar PY module for different climate regions: Comprehensive review," Sci. Total Environ. , vol. 827, Feb. 2022, Art. no. 154050, doi: l0.1016/j.scitotenv.2022.154050.

[2] N . Kannan and D. Yakeesan , "Solar energy for future world:-A review," Renew. Sustain. Energy Rev., vol. 62, pp. 1092-1105, Sep. 2016, doi: l0.1016/j.rser.2016.05.022.

[3] W. Liu , H. Huo, L. Ji, Y. Zhao, X. Liu , and J. Li, "A method for extracting photovoltaic panels from high-resolution optical remote sensing images guided by prior knowledge," Remote Sens., vol. 16, no. l, p. 9, Dec. 2023.

[4] Bajarang Bhagwat, V. (2023). Optimizing Payroll to General Ledger Reconciliation: Identifying Discrepancies and Enhancing Financial Accuracy. JOURNAL OF ADVANCE AND FUTURE RESEARCH, 1(4). https://doi.org/10.56975/jaafr.v1i4.501636

[5] Gummadi, V. P. K. (2026). Infrastructure optimization techniques for enterprise integration platforms: A comprehensive analysis. Computer Fraud & Security, 37-44. https://doi.org/10.52710/cfs.875

[6] Venkata Ramana, P. (2024). AI-driven predictive analytics in ERP systems for proactive supply chain optimization. International Journal of Research in Information Technology and Computing, 8(4).

[7] Maturi, S. Y. (2021). Blockbond hardening: Securing pooled-hash protocols against traffic tampering, MITM hash-rate hijacking, and

template coercion. International Journal of Communication Networks and Information Security, 13(3), 718–728.

[8] Shashank, A. (2025). Self-Healing Data Pipelines for Enhanced Reliability: A Paradigm Shift in Enterprise Data Management. Journal of Computer Science and Technology Studies, 7(8), 1097-1104.

[9] D. A. Snegirev, S. A. Eroshenko, R. T. Yaliev, and A. I. Khalyasmaa , "Algorithmic realization of short-term solar power plant output forecast- ing," in Proc. IEEE 2nd Int. Conj Control Tech. Sy st. (CTS) , Oct. 2017, pp. 228-231, doi : 10.1109/CTSYS.2017.8109532.

[10] Boyapati, P. K. Building a centralized data operations hub for healthcare enterprise integration. IJSAT-Int. J. Sci. Technol. 16 (2). https://doi.org/10.71097/IJSAT.v16.i2.3219.

[11] A. Hu , S. Levis, G. A. Meehl , W. Han , W. M. Washington , K. W. Oleson , B. J. van Ruijven, M. He, and W. G. Strand, "Impact of solar panels on global climate," Nature Climate Change, vol. 6, no. 3, pp. 290-294 , Mar. 2016.

AUTHORS Profile



Mrs. DARAM KUSUMA KUMARI has received B.Tech from JNTUH, Hyderabad in 2009, M.Tech degree in Computer science from JNTUH, Hyderabad in 2015 and Pursuing Ph.D degree in Computer Science from BHARATHIYA ENGINEERING SCIENCE AND TECHNOLOGY IU university , dedicated to teaching field from the last 9.5 years. research area CYBER SECURIT with AI . At present I am working as Assistant Professor in CSE Department at Guru Nanak Institutions Technical Campus ,Ibrahimpatnam, Telangana, India.Student Information.



Mr. GIRMAJI SAIPRASAD pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.



Mr. GADDAM SHIVA KUMAR YADAV pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.



Mr. GOGIREDDY CHARAN REDDY pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.



Mr. MADDULA ABHILASH REDDY pursuing B.Tech degree in Computer Science and Engineering at Guru Nanak Institutions Technical Campus affiliated to JNTUH in 2022-2026.