ISSN 2319-5991 www.ijerst.com
Vol. 21, No. 2, 2025
© 2025 IJERST. All Rights Reserved

Artificial Intelligence for Crop Disease Detection: Techniques, Challenges, and Future Directions

M. Subbareddy[1], G.Silpalatha[2],
[1]Academic Consultant, Department of Mechanical Engineering,
YSREC of YVU, Proddatur, Kadapa, A.P.
[2]Academic Consultant, Department of ECE,
YSREC of YVU, Proddatur, Kadapa, A.P.
[1]subbareddy419@gmail.com, [2] gsilpalatha.ece@gmail.com

Abstract
Crop diseases remain one of the leading causes of reduced agricultural productivity and economic losses worldwide. Early and accurate disease detection is essential for improving crop health, ensuring food security, and promoting sustainable farming practices. Recent advances in Artificial Intelligence (AI), particularly in Machine Learning (ML), Deep Learning (DL), and computer vision, have transformed the way crop diseases are identified and monitored **[1]–[3]**. AI-based systems can analyze images of plant leaves, stems, fruits, and other plant parts to detect diseases with high accuracy while minimizing the need for expert intervention **[1], [2]**. Convolutional Neural Networks (CNNs), transfer learning, Vision Transformers (ViTs), and hybrid AI models have demonstrated significant improvements in disease classification, severity estimation, and real-time diagnosis across various crop species **[1]–[4]**. Furthermore, integrating AI with Internet of Things (IoT) devices, unmanned aerial vehicles (UAVs), and smartphone-based applications has enabled continuous field monitoring and precision agriculture **[3], [5]**. Despite these advancements, challenges such as limited annotated datasets, varying environmental conditions, model interpretability, computational requirements, and deployment in resource-constrained agricultural settings continue to hinder large-scale adoption **[4], [5]**. This review presents a comprehensive overview of AI techniques for crop disease detection, summarizes commonly used datasets and evaluation metrics, discusses recent developments, and highlights current challenges and future research directions. The study emphasizes the growing role of explainable AI, multimodal learning, federated learning, and edge intelligence in developing scalable, reliable, and accessible crop disease detection systems that support sustainable agricultural practices and global food production **[3]–[5]**.
Keywords: Artificial Intelligence (AI) , Crop Disease Detection ,Machine Learning ,Deep Learning, Computer Vision ,Convolutional Neural Networks (CNN) ,Precision Agriculture, Plant Disease Diagnosis.

I. Introduction and Background

Agriculture plays a fundamental role in ensuring global food security and supporting the livelihoods of billions of people. However, crop diseases continue to pose a major challenge to agricultural productivity, causing significant reductions in crop yield, quality, and farmers' income. According to the Food and Agriculture Organization (FAO), plant diseases and pests are responsible for the loss of up to 40% of global crop production annually, resulting in substantial economic and environmental impacts **[6]**. Traditional methods of crop disease diagnosis rely primarily on visual inspection by agricultural experts, laboratory testing, and farmers' experience. Although these methods can be effective, they are often time-consuming, labor-intensive, subjective, and difficult to implement on a large scale, particularly in remote and resource-limited regions **[7]**.

The rapid advancement of Artificial Intelligence (AI) has introduced innovative solutions for automated crop disease detection. AI technologies, including Machine Learning (ML), Deep Learning (DL), and computer vision, enable computers to analyze images of leaves, stems, fruits, and other plant parts to accurately identify disease symptoms. Among these techniques, Convolutional Neural Networks (CNNs) have achieved remarkable success in image classification and disease recognition by automatically learning complex visual features from large datasets **[7], [8]**. More recently, advanced approaches such as transfer learning, Vision Transformers (ViTs), and ensemble learning have further improved detection accuracy while reducing computational requirements and training time **[9]**.




Figure: AI pipeline for crop disease detection

The integration of AI with Internet of Things (IoT) sensors, unmanned aerial vehicles (UAVs), drones, and smartphone-based applications has expanded the scope of precision agriculture by enabling continuous crop monitoring and real-time disease diagnosis **[10]**. These intelligent systems help farmers detect diseases at an early stage, optimize pesticide usage, reduce production costs, and improve crop management decisions. Nevertheless, challenges such as limited labeled datasets, varying environmental conditions, model interpretability, computational complexity, and deployment in real-world agricultural environments continue to affect the widespread adoption of AI-based disease detection systems **[11]**. This review provides an overview of recent developments in AI-driven crop disease detection, discusses existing methodologies, identifies current challenges, and highlights future research directions for developing reliable, scalable, and sustainable agricultural solutions.

II. Literature Review

Artificial Intelligence (AI) has rapidly emerged as a promising technology for automated crop disease detection, offering accurate, fast, and cost-effective alternatives to traditional disease diagnosis. Early research primarily employed conventional machine learning algorithms, such as Support Vector Machines (SVM), Decision Trees, Random Forests, and k-Nearest Neighbors (k-NN), using handcrafted image features including color, texture, and shape. Although these approaches achieved satisfactory performance under controlled conditions, they were often sensitive to illumination changes, background complexity, and variations in disease symptoms **[12], [13]**.

The introduction of deep learning significantly transformed crop disease detection. Mohanty *et al.* demonstrated that Convolutional Neural Networks (CNNs) trained on the PlantVillage dataset could accurately classify multiple crop diseases, establishing a benchmark for image-based plant disease recognition **[14]**. Ferentinos further improved classification accuracy by evaluating several deep learning architectures, including AlexNet, VGGNet, and GoogLeNet, reporting accuracies exceeding 99% on publicly available datasets **[15]**. Subsequent studies by Barbedo highlighted the importance of dataset diversity, field-acquired images, and transfer learning to improve model generalization and practical applicability under real agricultural conditions **[16], [17]**.

Between 2020 and 2023, researchers increasingly focused on transfer learning, lightweight CNN models, Vision Transformers (ViTs), YOLO-based object detection, and ensemble learning to enhance both detection accuracy and computational efficiency **[18]–[21]**. These techniques enabled real-time disease identification on smartphones, drones, and edge devices, supporting precision agriculture applications. Integration of AI with Internet of Things (IoT) sensors, unmanned aerial vehicles (UAVs), and cloud computing further enabled continuous crop monitoring and early disease diagnosis **[22], [23]**. Recent review studies also emphasized explainable AI (XAI), image segmentation, multimodal learning, federated learning, and edge intelligence as emerging research directions for improving model transparency, scalability, and deployment in resource-constrained environments **[24], [25]**.

Despite substantial progress, several challenges remain unresolved. Most AI models rely on large annotated datasets collected under controlled conditions, limiting their performance in real agricultural environments where lighting conditions, background noise, and multiple disease symptoms vary considerably **[16], [24]**. Future research should therefore focus on developing robust, explainable, lightweight, and scalable AI systems capable of operating across diverse crops and environmental conditions while supporting sustainable and precision agriculture **[25]**.

III. AI Techniques for Crop Disease Detection

Artificial Intelligence (AI) has revolutionized crop disease detection by enabling automated analysis of plant images and supporting timely disease diagnosis. Various AI techniques, including Machine Learning (ML), Deep Learning (DL), Convolutional Neural Networks (CNNs), Vision Transformers (ViTs), and Transfer Learning, have demonstrated remarkable performance in identifying diseases across different crops.




Figure: AI techniques for crop disease detection

Traditional **Machine Learning (ML)** methods, such as Support Vector Machines (SVM), Random Forest (RF), Decision Trees (DT), and k-Nearest Neighbors (k-NN), classify plant

diseases using handcrafted features extracted from leaf images, including color, texture, and shape. Although these techniques require feature engineering and perform well on small datasets, their effectiveness decreases under varying environmental conditions and complex backgrounds [12], [22].

Deep Learning (DL) has significantly improved disease detection by automatically learning hierarchical image features. Among DL models, **Convolutional Neural Networks (CNNs)** have become the most widely used due to their superior image classification capability. Popular CNN architectures, including AlexNet, VGGNet, ResNet, DenseNet, InceptionNet, and EfficientNet, have achieved classification accuracies exceeding 95% on benchmark datasets such as PlantVillage [13], [14]. CNN-based approaches also support disease severity estimation, lesion segmentation, and real-time diagnosis.




Figure: CNN Architecture for Plant Disease Detection

To overcome the limitations of training deep networks from scratch, **Transfer Learning** utilizes pretrained models trained on large-scale datasets such as ImageNet. Fine-tuning these models reduces computational cost, shortens training time, and improves performance, particularly when agricultural datasets are limited [15]. MobileNet and EfficientNet have further enabled deployment on smartphones and edge devices for field-based diagnosis.

Recently, **Vision Transformers (ViTs)** have emerged as a powerful alternative to CNNs by employing self-attention mechanisms to capture long-range spatial relationships within plant images. ViTs demonstrate improved robustness under varying illumination and complex field conditions, especially when trained on large datasets [16]. Hybrid CNN–ViT architectures, explainable AI (XAI), and multimodal frameworks integrating UAV imagery, IoT sensors, and hyperspectral imaging are increasingly being explored to enhance disease detection accuracy and support precision agriculture [17]. These advances are expected to improve the scalability, reliability, and practical deployment of AI-based crop disease detection systems.

IV. Challenges and Limitations

Despite remarkable progress, AI-based crop disease detection still faces several challenges that limit its practical deployment. A major issue is the scarcity of large, diverse, and accurately annotated datasets, as most publicly available datasets, such as PlantVillage, are collected under controlled conditions and do not adequately represent real-field environments. Model performance is also affected by variations in lighting, background, disease severity, and crop species, reducing generalization across different agricultural settings. Advanced deep learning models, including CNNs and Vision Transformers (ViTs), require substantial computational resources, making deployment on edge devices and smartphones challenging **[14]**. In addition, the black-box nature of many AI models limits their interpretability, reducing user trust and practical adoption. Explainable AI (XAI) techniques are being explored to improve transparency. Data privacy concerns, limited

connectivity, and the lack of standardized evaluation benchmarks further hinder large-scale implementation, emphasizing the need for robust datasets, lightweight models, and scalable edge AI solutions.

V. Conclusion

Artificial Intelligence (AI) has revolutionized crop disease detection by enabling rapid, accurate, and automated diagnosis through Machine Learning, Deep Learning, CNNs, Vision Transformers, and Transfer Learning. Integration with IoT devices, drones, smartphones, and remote sensing supports real-time monitoring, early disease identification, optimized pesticide use, and improved crop productivity. However, challenges such as limited annotated datasets, poor field generalization, high computational costs, and limited model interpretability remain. Future research should focus on explainable AI, lightweight edge-based models, multimodal and federated learning, self-supervised techniques, and standardized datasets. These advancements will strengthen precision agriculture, improve food security, and promote environmentally sustainable farming worldwide.

VI. Future Research Directions

Future research should focus on developing robust, explainable, and lightweight AI models capable of accurate crop disease detection under diverse field conditions. Building large, diverse annotated datasets and adopting Explainable AI (XAI), Vision Transformers (ViTs), multimodal learning, and hybrid architectures can improve model reliability and interpretability. Edge AI, IoT integration, UAVs, hyperspectral imaging, federated learning, and self-supervised learning will enable real-time, privacy-preserving disease monitoring. Standardized benchmarks and interdisciplinary collaboration are essential for developing scalable, affordable, and farmer-friendly precision agriculture solutions.

References

[1] S. P. Mohanty, D. P. Hughes, and M. Salathé, "Using deep learning for image-based plant disease detection," Frontiers in Plant Science, vol. 7, p. 1419, 2016.

[2] K. P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," Computers and Electronics in Agriculture, vol. 145, pp. 311–318, 2018.

[3] A. Kamilaris and F. X. Prenafeta-Boldú, "Deep learning in agriculture: A survey," Computers and Electronics in Agriculture, vol. 147, pp. 70–90, 2018.

[4] J. G. A. Barbedo, "Impact of dataset size and variety on the effectiveness of deep learning and transfer learning for plant disease classification," Computers and Electronics in Agriculture, vol. 153, pp. 46–53, 2018.

[5] J. G. A. Barbedo, "Plant disease identification from individual lesions and spots using deep learning," Biosystems Engineering, vol. 180, pp. 96–107, 2019.

[6] Food and Agriculture Organization (FAO), The State of Food and Agriculture, Rome, Italy: FAO, 2022.

[7] S. P. Mohanty, D. P. Hughes, and M. Salathé, "Using deep learning for image-based plant disease detection," Frontiers in Plant Science, vol. 7, p. 1419, 2016.

[8] K. P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," Computers and Electronics in Agriculture, vol. 145, pp. 311–318, 2018.

[9] J. G. A. Barbedo, "Plant disease identification from individual lesions and spots using deep learning," Biosystems Engineering, vol. 180, pp. 96–107, 2019.

[10] A. Kamilaris and F. X. Prenafeta-Boldú, "Deep learning in agriculture: A survey," Computers and Electronics in Agriculture, vol. 147, pp. 70–90, 2018.

[11] J. G. A. Barbedo, "Factors influencing the use of deep learning for plant disease recognition," Biosystems Engineering, vol. 172, pp. 84–91, 2018.

[12] A. Kamilaris and F. X. Prenafeta-Boldú, "Deep learning in agriculture: A survey," Computers and Electronics in Agriculture, vol. 147, pp. 70–90, 2018.

[13] J. G. A. Barbedo, "Factors influencing the use of deep learning for plant disease recognition," Biosystems Engineering, vol. 172, pp. 84–91, 2018.

[14] S. P. Mohanty, D. P. Hughes, and M. Salathé, "Using deep learning for image-based plant disease detection," Frontiers in Plant Science, vol. 7, p. 1419, 2016.

[15] K. P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," Computers and Electronics in Agriculture, vol. 145, pp. 311–318, 2018.

[16] J. G. A. Barbedo, "Impact of dataset size and variety on the effectiveness of deep learning and transfer learning for plant disease classification," Computers and Electronics in Agriculture, vol. 153, pp. 46–53, 2018.

[17] J. G. A. Barbedo, "Plant disease identification from individual lesions and spots using deep learning," Biosystems Engineering, vol. 180, pp. 96–107, 2019.

[18] A. Too, S. Yujian, N. Njuki, and L. Yingchun, "A comparative study of fine-tuning deep learning models for plant disease identification," Computers and Electronics in Agriculture, vol. 161, pp. 272–279, 2019.

[19] M. T. Islam, A. Ashiquzzaman, M. R. Islam, and T. S. Kim, "Plant disease detection using deep learning and transfer learning techniques: A review," IEEE Access, vol. 9, pp. 162121–162145, 2021.

[20] A. Dosovitskiy et al., "An image is worth 16×16 words: Transformers for image recognition at scale," in Proc. International Conference on Learning Representations (ICLR), 2021.

[21] G. Jocher et al., "YOLOv5," Ultralytics, GitHub Repository, 2020.

[22] A. Kamilaris, A. Kartakoullis, and F. X. Prenafeta-Boldú, "A review on the practice of big data analysis in agriculture," Computers and Electronics in Agriculture, vol. 143, pp. 23–37, 2017.

[23] P. Sharma, M. Hans, and S. C. Gupta, "Classification of plant leaf diseases using machine learning and IoT: A review," Journal of King Saud University–Computer and Information Sciences, vol. 35, no. 1, pp. 1–17, 2023.

[24] M. T. Ribeiro, S. Singh, and C. Guestrin, "Why should I trust you? Explaining the predictions of any classifier," in Proc. 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pp. 1135–1144, 2016.

[25] S. Kairouz et al., "Advances and open problems in federated learning," Foundations and Trends® in Machine Learning, vol. 14, no. 1–2, pp. 1–210, 2021.