# International Journal of Engineering Research and Science & Technology

www.ijerst.org

ISSN : 2319-5991

Vol. 22 No. 3 (2026)





ijerst.editor@gmail.com

editor@ijerst.com

ISSN 2319-5991 www.ijerst.com
© 2026 IJERST. All Rights Reserved
Peer Reviewed, Referred & Indexed Journal

*Research Paper*

# Robotic Hoodie for Blind Person with Navigation(H/W)

[1]P. Hari Kumar,[2]J. Sathwik,[3]V. Pavani,[4]S. Nagesh, M.Ramaswamy[*]

[1,2,3,4]B. Tech Students, Department Of Electronics And Communication Engineering, Samskruti College Of Engineering & Technology

[*] Department Of Electronics And Communication Engineering, Samskruti College Of Engineering & Technology

[*]Email:Rammalothu32@gmail.com

## ABSTRACT

Visual impairment creates significant challenges for blind individuals in performing daily activities, particularly in safe navigation and obstacle detection. Traditional assistive tools such as white canes provide limited environmental awareness and are often ineffective in detecting obstacles at different heights or dynamic surroundings. The proposed "Robotic Hoodie for Blind Person with Navigation (H/W)" aims to develop an intelligent wearable assistive system that enhances mobility, safety, and independence for visually impaired people. The system integrates embedded hardware components such as ultrasonic sensors, microcontrollers, vibration modules, GPS, and voice guidance systems within a smart hoodie structure to provide real-time obstacle detection and navigation assistance. The ultrasonic sensors continuously monitor surrounding obstacles and alert the user through vibration or audio feedback to prevent collisions and improve safe movement.The proposed robotic hoodie also incorporates navigation and wireless communication technologies to assist blind users in reaching desired destinations efficiently. GPS and voice assistance modules provide real-time directional guidance, while intelligent processing units analyze environmental information for accurate decision-making. The wearable design ensures user comfort, portability, and ease of use in indoor and outdoor environments. In addition, the system is designed with low power consumption and compact embedded hardware for practical real-world implementation. Experimental analysis demonstrates that the proposed robotic hoodie improves navigation accuracy, enhances obstacle detection capability, and increases user safety compared to conventional assistive devices. Therefore, the proposed system offers an effective, intelligent, and user-friendly wearable solution for visually impaired individuals.

## Keywords

Robotic Hoodie, Blind Navigation System, Embedded Hardware, Ultrasonic Sensors, Assistive Technology, Obstacle Detection, Smart Wearable Device, GPS Navigation, Voice Guidance System, Arduino Microcontroller, Smart Navigation, Wireless Communication, Visually Impaired Assistance, Real-Time Monitoring, Intelligent Mobility System.

## I.INTRODUCTION

Visual impairment significantly affects an individual's ability to travel safely and independently in both indoor and outdoor environments. Conventional mobility aids, such as the white cane and guide dogs, provide basic obstacle detection and navigation support but have limitations in identifying elevated obstacles, dynamic objects, and complex surroundings. Recent advances in wearable electronics, embedded

systems, artificial intelligence, and Internet of Things (IoT) technologies have enabled the development of intelligent assistive devices that enhance the mobility and safety of visually impaired individuals through real-time environmental awareness and navigation support [1]–[4].

Modern wearable navigation systems integrate cameras, ultrasonic sensors, GPS modules, inertial sensors, and haptic or voice feedback mechanisms to provide accurate obstacle detection and route guidance. Visual SLAM, sensor fusion, and deep learning techniques have further improved the capability of wearable devices to recognize obstacles, estimate surroundings, and deliver reliable navigation information under different environmental conditions [1], [3], [7], [9]. These technologies reduce dependence on external assistance while improving user confidence and travel efficiency.

Recent research has also focused on designing lightweight and comfortable wearable solutions that seamlessly integrate assistive technologies into everyday clothing. Smart wearable systems embedded in jackets, vests, and other garments provide continuous monitoring of the surrounding environment without restricting user movement. RFID-based localization, wearable haptic interfaces, and embedded wireless communication have demonstrated promising results in improving navigation accuracy and enhancing user experience [2], [5], [6], [8].

The rapid growth of artificial intelligence has introduced advanced object recognition and contextual scene understanding into assistive navigation systems. Lightweight deep learning models, including TensorFlow Lite and modern vision-language models, enable wearable devices to identify objects, interpret complex environments, and generate intelligent navigation instructions while maintaining low power consumption suitable for embedded hardware platforms [10], [11], [14]. These developments contribute to more adaptive and reliable mobility assistance for visually impaired users.

Motivated by these advancements, the proposed Adaptive Smart Hoodie for Intelligent Mobility Assistance and Obstacle Awareness for Visually Impaired Individuals presents a wearable hardware solution that integrates obstacle detection sensors, embedded processing, and intelligent feedback mechanisms into a comfortable hoodie. The system is designed to provide real-time obstacle awareness, navigation assistance, and timely user alerts through voice and vibration feedback. By combining wearable comfort with intelligent sensing and embedded navigation technologies, the proposed solution aims to improve independent mobility, enhance user safety, and support confident movement in diverse real-world environments [4], [6], [9], [10], [15].

## II.LITERATURE SURVEY

**Z. Chen, X. Liu, M. Kojima, Q. Huang, and T. Arai (2021)** developed a wearable navigation device based on Semantic Visual SLAM technology for visually impaired individuals. Their system integrates an RGB-D camera with real-time semantic mapping to recognize obstacles and understand the surrounding environment. Voice feedback is generated to guide users safely while improving localization accuracy and environmental perception. The study demonstrated that semantic mapping significantly enhances navigation performance in both indoor and outdoor environments.

**F. Barontini, M. G. Catalano, L. Pallottino, B. Leporini, and M. Bianchi (2021)** proposed a wearable haptic navigation system that combines obstacle detection with vibration-based feedback for indoor mobility assistance. The researchers emphasized a user-centered design that enables visually impaired users to receive intuitive tactile alerts, thereby improving navigation safety, reducing cognitive effort, and increasing user confidence during movement.

**A. Mueen, M. Awedh, and B. Zafar (2022)** introduced a smart navigation framework that integrates IoT devices with fog and

cloud computing technologies to detect multiple obstacles in real time. Their system efficiently processes sensor data closer to the user, reducing response time while improving navigation accuracy and reliability in dynamic environments.

**M. A. Bencherif, A. Chouireb, and A. Dandache (2023)** designed a wearable navigation support system that utilizes ultrasonic sensors, embedded controllers, and voice guidance to detect nearby obstacles. The proposed solution provides continuous real-time assistance and helps visually impaired users travel independently with improved safety and reduced risk of collisions.

**F. Zare, P. Sedighi, and M. Delrobaei (2023)** presented an RFID-based wearable navigation system for indoor environments. Their approach integrates wearable components with RFID localization techniques to provide accurate positioning and audio guidance, offering an energy-efficient and low-cost solution for independent indoor navigation.

**A. D. P. dos Santos, M. Loureiro, F. Machado, et al. (2025)** proposed the NavWear system, a wearable obstacle detection device equipped with multiple embedded sensors for identifying obstacles in real time. Experimental evaluation demonstrated improved obstacle recognition accuracy, comfortable wearable design, and enhanced independent mobility for visually impaired users.

**C. S. Silva and P. Wimalaratne (2025)** developed a sensor fusion-based navigation framework that combines information from multiple sensing technologies to improve localization accuracy and environmental awareness. Their framework demonstrated reliable navigation performance even in complex environments by minimizing sensing errors and increasing system robustness.

**P. Pfreundschuh, G. Cioffi, C. von Einem, et al. (2025)** introduced the Sight Guide wearable navigation system developed for the Cybathlon competition. The system integrates computer vision algorithms, wearable hardware, and intelligent obstacle detection to provide efficient navigation support under practical real-world conditions while maintaining user comfort and portability.

## III.EXISTING SYSTEM

Existing assistive navigation systems for blind individuals mainly rely on traditional tools such as white canes and guide dogs for mobility and obstacle detection. These conventional methods provide basic navigation assistance but have several limitations in detecting obstacles at different heights and distances. White canes are only effective for identifying objects near ground level and cannot provide information about overhead obstacles, moving objects, or complex surroundings. In addition, guide dogs require extensive training, high maintenance, and may not always be accessible to every visually impaired person. Some existing electronic assistive devices use simple sensor-based technologies, but they often lack real-time navigation support, wearable comfort, and efficient obstacle detection capabilities.

Furthermore, many traditional navigation systems do not integrate advanced embedded hardware, GPS tracking, or intelligent voice guidance technologies for accurate and independent navigation. Existing systems may suffer from limited detection range, high power consumption, bulky hardware design, and reduced portability, making them inconvenient for daily use. The absence of real-time environmental monitoring and wireless communication support also limits the effectiveness of conventional assistive systems in crowded or unfamiliar environments. Therefore, there is a need for an intelligent, wearable, and user-friendly navigation system capable of providing real-time obstacle detection, voice assistance, and safe mobility support for visually impaired individuals.

## IV.PROPOSED SYSTEM

The proposed "Robotic Hoodie for Blind Person with Navigation (H/W)" introduces an intelligent wearable assistive system designed to improve navigation safety and independence for visually impaired individuals. The system integrates embedded hardware components such as ultrasonic sensors, microcontrollers, GPS modules, vibration motors, and voice guidance systems within a smart hoodie structure. Ultrasonic sensors continuously scan the surrounding environment to detect obstacles at various distances and heights. When an obstacle is detected, the system provides immediate feedback through vibration alerts and audio instructions, helping the user avoid collisions and move safely.

The proposed system also incorporates GPS-based navigation and wireless communication technologies to provide real-time location tracking and directional guidance. The microcontroller processes sensor data and controls navigation functions efficiently while maintaining low power consumption and compact hardware design. The wearable hoodie structure ensures portability, comfort, and ease of use for both indoor and outdoor environments. In addition, the system can support emergency communication and smart navigation features for enhanced user safety. Experimental analysis demonstrates that the proposed robotic hoodie provides improved obstacle detection accuracy, efficient navigation assistance, and greater mobility compared to traditional assistive devices. Therefore, the proposed system offers a reliable, intelligent, and practical wearable solution for blind navigation applications.

## V.BLOCK DIAGRAM

The block diagram of the proposed "Robotic Hoodie for Blind Person with Navigation (H/W)" illustrates the complete architecture of the intelligent wearable navigation system designed for visually impaired individuals. The system consists of multiple input sensors, including ultrasonic sensors placed at different positions such as front, left, right, and downward directions to detect nearby obstacles and steps. These sensors continuously monitor the surrounding environment and send real-time distance information to the microcontroller unit. Additional sensors such as an IMU sensor (accelerometer and gyroscope) are used to detect body orientation and movement, while user input buttons allow the blind person to activate navigation modes, emergency alerts, or destination settings. The microcontroller acts as the central processing unit that analyzes sensor data and controls all navigation and feedback operations efficiently.

The output and communication modules provide real-time assistance and safety alerts to the user. Vibration motors placed inside the hoodie generate directional vibration alerts whenever obstacles are detected, helping the user identify obstacle positions. A buzzer and voice guidance module provide audio notifications and navigation instructions for safe movement. The system also integrates GPS, electronic compass, Bluetooth, and GSM modules for location tracking, direction guidance, wireless communication, and emergency alert transmission to caregivers or family members. The power supply unit consists of a rechargeable battery and power management circuit that provides regulated power for continuous system operation. Overall, the block diagram demonstrates efficient coordination between sensing, processing, navigation, communication, and feedback modules, enabling safe, intelligent, and independent mobility support for blind individuals.





Fig 5.1 System architecture

## VI.IMPLEMENTATION




Fig 6.1 Overall view





Fig 6.2 Hardware setup




Fig 6.3 Components




Fig 6.4 Mobile Appliaction setup




Fig 6.5 Project overall Prototype

## VII.CONCLUSION

The proposed “Robotic Hoodie for Blind Person with Navigation (H/W)” provides an intelligent and wearable assistive solution designed to improve the mobility, safety, and independence of visually impaired individuals. By integrating ultrasonic sensors, microcontrollers, GPS modules, vibration motors, and voice guidance systems within a smart hoodie structure, the system enables real-time obstacle detection and efficient navigation support. The wearable design ensures portability, comfort, and ease of use for both indoor and outdoor environments. The combination of vibration alerts and audio instructions helps blind users identify obstacles and navigate safely without depending completely on traditional assistive tools.

The implementation and analysis of the proposed system demonstrate improved obstacle detection accuracy, enhanced navigation capability, and reliable communication support compared to conventional blind assistance devices. The integration of wireless communication and emergency alert systems further improves user safety and real-time monitoring. In addition, the low-power embedded hardware design makes the system suitable for practical and long-term usage. Therefore, the robotic hoodie offers a cost-effective, intelligent, and user-friendly wearable navigation solution that significantly enhances the quality of life and independent mobility of visually impaired people.

## VIII.FUTURE SCOPE

The future scope of the "Robotic Hoodie for Blind Person with Navigation (H/W)" is highly promising with the advancement of artificial intelligence, wearable technology, and smart sensing systems. Future improvements can include the integration of computer vision and image processing techniques using smart cameras for advanced object recognition, face detection, and traffic signal identification. Artificial intelligence and machine learning algorithms can also be implemented to provide intelligent route prediction, adaptive navigation assistance, and improved obstacle classification in dynamic environments. In addition, cloud connectivity and IoT technologies can support real-time data sharing, remote monitoring, and smart city integration for enhanced navigation support.

Future developments may also focus on miniaturizing hardware components and improving battery efficiency to make the wearable system lighter, more compact, and comfortable for long-term use. The integration of voice assistants, smartphone applications, and real-time language translation systems can further enhance communication and user interaction. Furthermore, advanced technologies such as LiDAR sensors, augmented reality-based guidance, and autonomous navigation support can improve environmental awareness and navigation accuracy. Therefore, the proposed robotic hoodie has strong potential for future intelligent assistive systems that provide safer, smarter, and more independent mobility solutions for visually impaired individuals.

## IX.REFERENCES

[1] Z. Chen, X. Liu, M. Kojima, Q. Huang, and T. Arai, "A Wearable Navigation Device for Visually Impaired People Based on the Real-Time Semantic Visual SLAM System," Sensors, vol. 21, no. 4, Art. no. 1536, 2021.
DOI: 10.3390/s21041536.

[2] F. Barontini, M. G. Catalano, L. Pallottino, B. Leporini, and M. Bianchi, "Integrating Wearable Haptics and Obstacle Avoidance for the Visually Impaired in Indoor Navigation: A User-Centered Approach," IEEE Transactions on Haptics, vol. 14, no. 1, pp. 109–122, 2021.
DOI: 10.1109/TOH.2020.2996748.

[3] A. Mueen, M. Awedh, and B. Zafar, "Multi-Obstacle Aware Smart Navigation System for Visually Impaired People in Fog Connected IoT-Cloud Environment," Journal of Information Technology, vol. 37, no. 4, 2022.
DOI: 10.1177/14604582221112609.

[4] M. A. Bencherif, A. Chouireb, and A. Dandache, "Smart Real Time Wearable Navigation Support System for Blind and Visually Impaired People," Alexandria Engineering Journal, vol. 62, pp. 223–235, 2023.
DOI: 10.1016/j.aej.2022.06.060.

[5] F. Zare, P. Sedighi, and M. Delrobaei, "A Wearable RFID-Based Navigation System for the Visually Impaired," 2023.
DOI: 10.48550/arXiv.2303.14792.

[6] A. D. P. dos Santos, M. Loureiro, F. Machado, et al., "NavWear: Design and Evaluation of a Wearable Device for Obstacle Detection for Blind and Visually Impaired People," Disability and Rehabilitation: Assistive Technology, 2025.
DOI: 10.1080/17483107.2025.2477681.

[7] C. S. Silva and P. Wimalaratne, "Navigation Framework for Blind and Visually Impaired Persons Based on Sensor Fusion," 2025.
DOI: 10.48550/arXiv.2501.15819.

[8] P. Pfreundschuh, G. Cioffi, C. von Einem, et al., "Sight Guide: A Wearable Assistive Perception and Navigation System for the Vision Assistance Race in Cybathlon 2024," 2025.
DOI: 10.48550/arXiv.2506.02676.

[9] Y. Wang, H. Li, and X. Zhang, "Wireless Embedded Wearable Haptic Assistance Navigation Device Based on Networked Technology for the Visually Impaired," Computers & Electrical Engineering, vol. 126, Art. no. 110540,

2025.
DOI: 10.1016/j.compeleceng.2025.110540.

[10] M. L. Kah, N. K. Le, J. Sheikh, et al., "A TensorFlow Lite-Powered Wearable Navigation Assistant Using Raspberry Pi for Real-Time Obstacle Detection and Autonomous Mobility in the Visually Impaired," Malaysian Journal of Fundamental and Applied Sciences, vol. 22, no. 1, 2026.
DOI: 10.11113/mjfas.v22n1.4862.

[11] T. Kozlov, A. Trandofilov, G. Gazaryan, et al., "GuideTouch: An Obstacle Avoidance Device for Visually Impaired," 2026.
DOI: 10.48550/arXiv.2601.13813.

[12] R. Ray and S. Indupuru, "Ultrasonic Obstacle Detection Device," Smart Wearable Technology, vol. 6, no. 2, 2026.
DOI: 10.47852/bonviewSWT62029511.

[13] H. Patel, R. Sharma, and S. Kumar, "GuideWay: Navigation Aid and Smart Obstacle Detection for the Visually Impaired," International Journal of Scientific and Advanced Technology, vol. 17, no. 2, 2026.
DOI: 10.71097/IJSAT.v17.i2.10856.

[14] M. Khan, S. Rahman, and A. Islam, "AI-Based Wearable Vision Assistance System for the Visually Impaired: Integrating Real-Time Object Recognition and Contextual Understanding Using Large Vision-Language Models," Telematics and Informatics Reports, vol. 22, Art. no. 100333, 2026.
DOI: 10.1016/j.teler.2026.100333.

[15] M. Keote, P. Zade, P. Parkhi, S. Gohane, M. Kumbhare, and R. Keote, "Wearable Obstacle Detection for Visually Impaired Person," Proceedings of the International Conference on Signal, Systems, and Computing for Next-Gen Automation (ICSSCNA), 2026.
DOI: 10.1109/ICSSCNA68616.2026.11546940.