

International Journal of Engineering Research and Science & Technology



www.ijerst.org

ISSN : 2319-5991

Vol. 22 No. 3 (2026)



ijerst.editor@gmail.com
editor@ijerst.com

Research Paper

IMAGE ENHANCEMENT WITH THE APPLICATION OF LOCAL AND GLOBAL ENHANCEMENT METHODS FOR DARK IMAGES¹ L. Priyanka, ² Boragala Pranitha¹ Assistant Professor, ² Student

Department of CSE

Sree Chaitanya College of Engineering, Karimnagar

Abstract: Image enhancement plays a crucial role in improving the visual quality and interpretability of images captured under poor illumination conditions. Dark images often suffer from low contrast, insufficient brightness, loss of details, and reduced visibility, which can negatively impact both human perception and computer vision applications. This paper presents an image enhancement framework that combines local and global enhancement methods to improve the quality of dark images. Global enhancement techniques are employed to adjust overall image brightness and contrast, ensuring balanced illumination across the entire image. Simultaneously, local enhancement methods focus on specific image regions to recover hidden details, preserve textures, and improve edge visibility. The integration of local and global enhancement approaches enables effective correction of illumination variations while maintaining natural image appearance. Experimental analysis demonstrates that the proposed method significantly improves image clarity, contrast, detail preservation, and visual perception compared to conventional enhancement techniques. The developed framework provides an efficient solution for enhancing dark images in applications such as surveillance, medical imaging, remote sensing, and digital photography.

1. INTRODUCTION

Deep learning and computer vision technologies are becoming more and more common in a variety of industries, including object identification [4], automated driving [2], face recognition [3], and medical image processing [1]. However, pictures often suffer from a variety of degradations, including but not limited to poor visibility, low contrast, backlight, shadow, and darkness, owing to physical restrictions including inadequate lighting, limited exposure time, and inappropriate camera angles. Images of this kind are shown in Figs. 1(a) through to 1(d). Information about the picture is masked or lost properly due to non-uniform lighting and poor contrast, which limits its applicability for real-world applications like lane recognition [6], remote sensing images [5], etc.

**Figure 1**

Degradations of images.

One of the primary goals of image processing is image enhancement, which includes adding information or using certain techniques to convert data into original pictures in order to make images fit the visual response characteristics and emphasise specific elements of interest. Expanding the contrast between the features of various objects in an image, suppressing uninteresting features, enhancing the quality of the image, adding more information, fortifying the image's interpretation and recognition effect, and satisfying specific

analysis requirements are the primary goals of image enhancement.

This work aims to provide an extensive survey of the literature on picture enhancement from an algorithmic standpoint. Numerous evaluations on image enhancement already exist. Wencheng et al. [7] provide an overview of the primary methods for enhancing low-light images that have been developed in recent decades. Retinex-based low-light enhancement techniques are reviewed by Rasheed et al. [8] along with a comparison with other cutting-edge low-light enhancement techniques. Deep learning-based techniques for improving images and videos in low light are presented by Chongyi et al. [9]. A overview of the use of image enhancement in object identification and classification tasks is provided by Sobhahi et al. [10]. But these publications are either just linear introductions to image improvement, or they ignore the links between the techniques and the derivation of image digital theory, concentrating exclusively on the structures and applications of the approaches. This essay begins by providing a thorough analysis of conventional teaching strategies. This research creatively summarises decompression-based and fusion-based algorithms that are strongly integrated with conventional algorithms in addition to categorising the algorithms into end-to-end learning and unpaired learning categories in the machine learning-based techniques part.

The contrast of a picture may have a significant impact on how the human eye perceives it. The difference between a given pixel's intensity value and that of its nearby pixels is known as contrast. The contrast of the picture is greater if there is a greater difference in intensity. Greater contrast improves the sharpness of a picture by bringing out more minute details. When analysing and extracting information from a picture for medical or scientific purposes, the specifics in the local information play a crucial role in accurately identifying illnesses based on

the image of a cell. So, as science and technology progress, particularly in the area of signal processing, the quality of a picture may be improved to provide precise and comprehensive information about the image. Over the years, several ways have been presented to address different parts of a picture, and there are numerous methods for improving the quality of an image. One of the several methods for improving images is contrast stretching. There are two distinct categories of contrast stretching techniques: global and local techniques. The global method of contrast stretching is a widely used technique in image enhancement. It produces images of a sufficiently high quality for viewing purposes, but it lacks the local details of the image because it focusses primarily on the global details, or the image's overall information, and ignores the local details. The image's local features are improved by the local approach, which addresses the image's tiny variations and yields the image's minute details. It is deficient in terms of the overall picture pixel enhancement information. One method addresses the disparity of another in this combination algorithm. The local approach addresses the smallest features in the picture that the global method does not. Numerous researchers have created methods for improving images. It is very usual and efficient to equalise an image's histogram in order to improve it. In order to maintain brightness, contrast enhancement methods based on histogram equalisation were introduced. Every every peak in the histogram is equalised independently in. It is an image's spatial domain method. Processing a picture directly on its pixels, as opposed to on another modified domain, is referred to as spatial domain processing. It is not possible to employ a single approach as a general technique that works with all kinds of photos. For a certain kind of picture, one approach could provide excellent results, but not for another kind.

2. EXISTING SYSTEM

Various contrast stretching methods have been proposed to enhance the image of leukemia, a medical image in . When a dark stretch is performed, the bright portions of the image or the bright pixels are more brightened. A better way to address such problem is to enhance the dark regions by keeping the bright regions untouched , these have shown the effects of various contrast stretching techniques like global stretching, local contrast stretching, partial contrast stretching etc. The problems of a blurred image, which is caused by the motion of the object while taking the image, and how to avoid is presented in . It also used local edge detection to deblur the original image. In , the effect of application of both global and local contrast enhancement is studied on gray scale image and only the brightness parameter of the image has been observed. This method is being used in this paper on the dark color image and image enhancement parameters like mean and measure of enhancement factor is calculated and the output image is compared with the existing image enhancement techniques.

Disadvantages System

- Accuracy is Low.
- blurred image.
- More time taking process and cost is also high.

3. PROPOSED SYSTEM

In this method first an image is taken and converted from the red green and blue (RGB) color space to the HSV color space. From the HSV colour space, the V component or the luminance component is taken to apply the algorithm. In order to enhance the local gradients or the local details, an existing local enhancement method has been used. Here the unsharp masking is used as local details enhancement method. As the name suggests it uses the blurred image to make the mask and enhances the local details in the form of edge

sharpening. The sharpened image is used as the input to the global enhancement method. The global enhancement method uses one of the global contrast stretching methods. At first a color image to be enhanced is taken and it is converted to the HSV color space. From that color space the luminance portion is taken. The enhancement in the hue and saturation is not done. The image enhancement is performed only in the luminance plane of the image. The local details of an image can be accessed or addressed through the luminance only. There is effect of hue and saturation also in the contrast but the effect is less compared to luminance of an image. The luminance portion is responsible for the local radiance of the image. The luminance is enhanced by applying the proposed algorithm and it is combined with the chrominance and converted back to color image. Generally the global method is very fast in processing.

Advantages System

- Accuracy is Very high.
- Less time taking process and cost is also low.
- Their results gave high success rate.
- Clear image

4. SYSTEM ARCHITECTURE




Fig. 1 System Architecture


5. ALGORITHM

CNN

Convolution Neural Network technique (CNN)

The "**convolution neural network (CNN)**" is a specific type of deep learning-based algorithm. This algorithm has been taken as an appropriate input image, an important attribute that is learnable weights with respect to the proper biasing system to the different types of objects. For this purpose, this particular system is very much effective to show the actual difference in the working process in each case. The actual requirement and necessity of preprocessing within the ConvNet are very much lower than the other classifier algorithms (Haytom *et al.*, 2019). The proper learning strategies and designing components and respective hierarchies of various factors should be done through "convolution neural network (CNN)" with various building structures like pooling layers, convolution layers and entire connected layers. The "**convolution neural network (CNN)**" has been recently provided various types of tasks like the object recognition, object detection, image captioning and image segmentation. The "**convolution neural network (CNN)**" is the particular types of category that is mainly designed various types of models and methods for completing the entire process such as the respective videos and images that will be very much necessary for completing the entire finger based iris recognition process. This particular network technique is image classification, signal processing and image segmentation. The iris recognition system has been regarded with respect to the "reliable biometric recognition" process during the extraordinary and stable variation within the appropriate texture (Hernández-García *et al.*, 2019). This entire research note has explored the efficient technology and modern techniques which has been mainly used for feature extraction and

feature classification. This recognition system is mainly used for enhancing the respective recognition efficiency.



Convolution Neural Network technique (CNN) for Iris recognition system

6. MODULES

Global Enhancement of the Image

The global enhancement of the image is used to increase the contrast of the image. In this process each pixel of the image is adjusted so that it gives a better visualization of the image. In spatial contrast enhancement, the operation is performed directly on the pixel. The pixels are arranged in such a way that it is distributed throughout the range of desired intensity level. Global contrast stretching method is used as global method of enhancing the image. There are many global techniques like histogram equalization (HE), contrast limited adaptive histogram equalization and many other transformation methods like discrete cosine transform (DCT), discrete shearlet transform (DST).

Fig. 1 shows the proposed method to be incorporated in order to get a good quality image by combining both local enhancement and global enhancement of a color image. It mainly consists of the following four steps.

Step 1: Get the color image and convert it into hue, saturation and value (HSV) color space and take the luminance of that image.

Step 2: Apply the local enhancement method to enhance the local details of image.

Step 3: The local output is again given as global input and perform global image enhancement.

Step 4: Recombine the components and reconvert it back to color image.


In this method first an image is taken and converted from the red green and blue (RGB) color space to the HSV color space. From the HSV colour space, the V component or the luminance component is taken to apply the algorithm. In order to enhance the local gradients or the local details, an existing local enhancement method has been used. Here the unsharp masking is used as local details enhancement method. As the name suggests it uses the blurred image to make the mask and enhances the local details in the form of edge sharpening. The sharpened image is used as the input to the global enhancement method. The global enhancement method uses one of the global contrast stretching methods. At first a color image to be enhanced is taken and it is converted to the HSV color space. From that color space the luminance portion is taken. The enhancement in the hue and saturation is not done. The image enhancement is performed only in the luminance plane of the image. The local details of an image can be accessed or addressed through the luminance only. There is effect of hue and saturation also in the contrast but the effect is less compared to luminance of an image. The luminance portion is responsible for the local radiance of the image. The luminance is enhanced by applying the proposed algorithm and it is combined with the chrominance and converted back to color image. Generally the global method is very fast in processing.



To see the effect of the combination of local and global enhancement methods of an image, the above mentioned algorithm is applied. The color image or digital color image to be enhanced is taken and converted to the HSV color space in order to apply the algorithm. The image plane slicing is performed and the image is divided into three different planes each

of hue, saturation and value. The hue and saturation is the chrominance of the image and the value is the luminance. The luminance is mainly responsible for the radiance and brightness of the image. So the value image plane which is the third plane is taken for the enhancement and the other two planes of the image is kept as it is without altering the pixel intensities.

In order to enhance the edges which are considered as the local features of an image, the local contrast stretching process is applied. This is the first step in enhancement method. At the end of this step, a locally enhanced image is obtained. It gives a clear picture of the local information of the image but deficient in the overall brightness of the image. In order to address this discrepancy of local enhancement the global enhancement method is applied to the output of the first step. The global enhancement method employed here is histogram equalization explained above.

7. SCREEN SHOTS





8. CONCLUSION

This study presented an image enhancement approach that combines local and global enhancement methods to improve the visual quality of dark images. The proposed framework effectively addresses common issues such as low brightness, poor contrast, and loss of image details by integrating global illumination correction with localized feature enhancement. Global enhancement techniques improve the overall appearance of the image, while local enhancement methods recover fine details and preserve important structural information. Experimental observations indicate that the combined approach produces clearer, sharper, and more visually appealing images than traditional enhancement methods. The enhanced images exhibit improved contrast, better detail

visibility, and greater perceptual quality, making them suitable for various image-processing applications. Future research may focus on incorporating deep learning-based enhancement techniques, adaptive parameter optimization, and real-time processing capabilities to further improve enhancement performance for challenging low-light imaging environments.

References

1. Litjens Geert, Kooi Thijs, Bejnordi Babak Ehteshami, Setio Arnaud Arindra Adiyoso, Ciompi Francesco, Ghafoorian Mohsen, Van Der Laak Jeroen A.W.M., Van Ginneken Bram, Sánchez Clara I. A survey on deep learning in medical image analysis. *Med. Image Anal.* 2017;42:60–88.
2. Badue Claudine, Guidolini Rânik, Carneiro Raphael Vivacqua, Azevedo Pedro, Cardoso Vinicius B., Forechi Avelino, Jesus Luan, Berriel Rodrigo, Paixao Thiago M., Mutz Filipe, et al. Self-driving cars: a survey. *Expert Syst. Appl.* 2021;165
3. Masi Iacopo, Wu Yue, Hassner Tal, Natarajan Prem. 2018 31st SIBGRAPI Conference on Graphics, Patterns and Images (SIBGRAPI) IEEE; 2018. Deep face recognition: a survey; pp. 471–478.
4. Zhao Zhong-Qiu, Zheng Peng, Xu Shou-tao, Wu Xindong. Object detection with deep learning: a review. *IEEE Trans. Neural Netw. Learn. Syst.* 2019;30(11):3212–3232.
5. Liu Jiahang, Zhou Chenghu, Chen Peng, Kang Chaomeng. An efficient contrast enhancement method for remote sensing images. *IEEE Geosci. Remote Sens. Lett.* 2017;14(10):1715–1719.
6. Liu Tong, Chen Zhaowei, Yang Yi, Wu Zehao, Li Haowei. 2020 IEEE Intelligent Vehicles Symposium (IV) IEEE; 2020. Lane detection in low-light conditions using an efficient data enhancement: light conditions style transfer; pp. 1394–1399.
7. Wang Wencheng, Wu Xiaojin, Yuan Xiaohui, Gao Zairui. An experiment-based review of low-light image enhancement methods. *IEEE Access.* 2020;8:87884–87917.
8. Rasheed Muhammad Tahir, Guo Guiyu, Shi Daming, Khan Hufsa, Cheng Xiaochun. An empirical study on Retinex methods for low-light image enhancement. *Remote Sens.* 2022;14(18):4608.
9. Li Chongyi, Guo Chunle, Han Linghao, Jiang Jun, Cheng Ming-Ming, Gu Jinwei, Loy Chen Change. Low-light image and video enhancement using deep learning: a survey. *IEEE Trans. Pattern Anal. Mach. Intell.* 2021;44(12):9396–9416.
10. Sobbahi Rayan Al, Tekli Joe. *Signal Processing: Image Communication.* 2022. Comparing deep learning models for low-light natural scene image enhancement and their impact on object detection and classification: overview, empirical evaluation, and challenges; p. 116848.
11. Wang David C.C., Vagnucci Anthony H., Li Ching-Chung. Digital image enhancement: a survey. *Comput. Vis. Graph. Image Process.* 1983;24(3):363–381.
12. Raji A., Thaibaoui A., Petit E., Bunel P., Mimoun G. A gray-level transformation-based method for image enhancement. *Pattern Recognit. Lett.* 1998;19(13):1207–1212.
13. Rajamani V., Babu P., Jaiganesh S. A review of various global contrast enhancement techniques for still images using histogram modification framework. *Int. J. Eng. Trends Technol.* 2013;4(4):1045–1048.
14. Vijayalakshmi D., Nath Malaya Kumar, Acharya Om Prakash. A comprehensive survey on image contrast enhancement techniques in spatial domain. *Sens. Imaging.* 2020;21(1):1–40.
15. Kaur Manpreet, Kaur Jasdeep, Kaur Jappreet. Survey of contrast enhancement techniques based on histogram equalization. *Int. J. Adv. Comput. Sci. Appl.* 2011;2(7)