

International Journal of
Engineering Research and Science & Technology



ISSN : 2319-5991

www.ijerst.com

Email: editor@ijerst.com or editor.ijerst@gmail.com

CNN-BASED DIABETIC RETINOPATHY IDENTIFICATION FROM EYE FUNDUS IMAGES

Dr. G. JawaharlalNehru, K. Bhargavi, P. Chaitanya, S. Bavankumar

¹Associate Professor, ^{2,3,4}Assistant Professor, Department of Computer Science and Engineering,
^{1,2,3,4}St. Martin's Engineering College, Secunderabad, Telangana, India

ABSTRACT

In order to prevent patients from losing their vision and to help ophthalmologists with mass screening, automated Diabetic Retinopathy (DR) detection, screening, and diagnosis are essential. By identifying the disease before it reaches a more advanced level, DR screening seeks to treat it early. Current DR analysis techniques reduce the high cost of human computation by diagnosing using digital fundus images. In order to lessen the subjective interpretation and screening loads for ophthalmologists, researchers are persistently working toward automated screening methods. Different Convolutional Neural Network (CNN) architectures with parameter adjustment for DR classification are proposed in this research. The suggested method fine-tunes the network parameters to solve the class imbalance issue. The architecture takes into account various filter size variations, and the classification output layer analyzes how they change in response. The CNN model presented in this study has an accuracy of 87.5%, a processing time of 1 minute and 23 seconds, and a cross entropy loss of 0.6370. In fundus image categorization, the suggested strategy outperforms state-of-the-art techniques, with a maximum accuracy improvement of 13%.

Keywords: Diabetic Retinopathy, Automated DR Detection, Convolutional Neural Network, Class Imbalance Problem, Fine Tuning, Network Parameters.

1. INTRODUCTION

Diabetic retinopathy is a significant public health concern, especially in diabetic patients. The retina, a fragile tissue located at the rear of the eye, is particularly vulnerable to the effects of high blood sugar levels. Prolonged exposure to hyperglycemia leads to microvascular changes, including retinal haemorrhages, micro aneurysms, and neovascularization. If left unaddressed, these changes can lead to vision impairment. The manual evaluation of retinal visuals by Ocular physicians is a time-intensive process and is susceptible to variability between observers. Hence, there is an increasing demand for automated techniques capable of precisely identifying diabetic retinopathy and categorizing its severity.

Convolutional neural networks (CNNs), a category within deep learning models, have risen as potent instruments for tasks involving image recognition. Their capacity to extract hierarchical features directly from raw pixel information renders them highly effective for medical image analysis.

This research presents a convolutional neural network (CNN) driven automated solution for identifying diabetic retinopathy. Our main aims are outlined as follows:

Classification of Retinal Images: We aim to classify retinal fundus images into two primary categories: normal and abnormal. Abnormal images will further be categorized based on the severity of DR.

- I. **Early Intervention:** By automating the diagnosis process, we can facilitate early intervention. Detecting DR at an early stage allows for timely treatment, preventing irreversible vision loss.
- II. **Reducing Ophthalmologist Workload:** Our system will assist ophthalmologists by providing preliminary assessments, allowing them to focus on complex cases and personalized patient care.

2. OBJECTIVE

The main objective of detecting DR disease using CNN algorithms is to formulate a precise and productive system for automated screening and diagnosis of DR from fundus images. This objective encompasses several key goals. Firstly, early detection is crucial for timely intervention and management to prevent vision loss in diabetic patients. CNN algorithms aim to detect subtle signs of retinopathy at its early stages, allowing for prompt medical attention and treatment. Secondly, ensuring accuracy is paramount. CNN algorithms strive to achieve high levels of sensitivity and specificity in DR detection, ensuring reliable identification of DR-related lesions such as micro aneurysms, haemorrhages, and exudates. Accurate detection is essential for reducing false positives and negatives

in screening results. Thirdly, efficiency is sought after. Automated DR detection systems based on CNN algorithms aim to streamline the screening process, enabling rapid analysis of large volumes of fundus images. By automating the detection process, healthcare providers can efficiently triage patients and allocate resources for further evaluation and treatment as needed.

3. METHODOLOGY

In the paper authored by Vaibhav V. Kamble and Rajendra D. Kokate (2019), In this study, the proposed methodology encompasses a series of sequential procedures aimed at detecting and classifying diabetic retinopathy (DR) in fundus images. Initially, preprocessing techniques are employed to refine image quality and minimize noise. Subsequently, image enhancement methods are applied to augment the visual clarity of the images.

Upon successful detection of these ophthalmic features, the fundus image undergoes classification by the proposed system to ascertain whether it manifests signs of diabetic retinopathy (DR) or not. This classification procedure serves as the final step in the methodology, furnishing clinicians with an automated diagnostic tool for DR. [1].

Regarding the work by M. Moshin Butt (2019), In this study, fundus eye images of patients with diabetic retinopathy (DR) were utilized to train a convolutional neural network (CNN), which effectively categorizes the visuals into five distinct classes: No DR, Mild DR, Moderate DR, Severe DR, and proliferative DR. The input images underwent preprocessing, where they were segmented into grayscale and individual Red (R), Green (G), and Blue (B) channels. This processed data was then fed into several CNN models designed to categorize the visuals across diverse phases of DR. [2].

Yasashvini R's, paper from 2022 delves into more than just diabetic retinopathy identification; it also delves into the analysis of various stages of DR, facilitated by Deep Learning (DL) and transfer learning algorithms. CNN, hybrid CNN integrating ResNet, and hybrid CNN incorporating DenseNet are employed on a substantial dataset comprising approximately 3662 training images. Their aim is to autonomously discern the progression stage of retinal disease. [3].

3.1 Steps to Implement CNN

The "detection of diabetic retinopathy Using CNN" project comprises several interconnected modules, each serving a specific purpose in the overall system. These modules can be summarized as follows:

- **Data Acquisition Module:** Responsible for obtaining input images containing diabetic retinopathy detection from diverse outlets such as medical repositories or academic institutions.
 - **Preprocessing Module:** Carries out preprocessing operations on obtained images to improve their quality and eliminate noise. This might include resizing, standardization, and conversion to grayscale to ready the images for analysis.
 - **Training Data Preparation Module:** Prepares a subset of the preprocessed images for training the deep learning model. This involves annotating the images to label regions of interest corresponding to all types and stages.
 - **Model Training Module:** Trains a convolutional neural network (CNN) model using the annotated training data. The CNN learns to differentiate between input images and ALL types or models based on their features and patterns in the images.
 - **Model Evaluation Module:** Evaluates the trained model using a separate set of test images to assess its performance in accurately detecting ALL cells. Assessment criteria like precision, recall, discrimination, and AUROC (area under the receiver operating characteristic) curve are computed to gauge the model's efficacy.
 - **Deployment Module:** Deploys the trained model into a production environment where it can be used to analyze new images in real-time.
 - **User Inference Module:** Performs inference using the deployed model to analyze new images and detect the presence of all types. The module outputs predictions indicating whether each cell is normal or indicative of diabetic retinopathy.
 - **Result Visualization Module:** Visualizes the results of the all detection process, such as generating heatmaps or overlaying bounding boxes on the original images to highlight regions identified as all types.
- These modules work together seamlessly to automate the process of detecting diabetic retinopathy using deep learning techniques, providing a comprehensive framework for improving the efficiency and accuracy of diagnosis.

3.2 Flowchart and Algorithms




Fig 1: DR methodology

3.3 System Description

- **Programming Language**– Python 3.8 is a straightforward and robust programming language to grasp. Its refined syntax, flexible typing, and interpreted behavior render it well- suited for scripting and swift application development across various domains on most platforms.
- **Tool**–“Visual Studio”, Visual Studio, crafted by Microsoft, serves as an Integrated Development Environment (IDE) for creating a variety of applications, including graphical user interfaces (GUIs), console applications, web applications, mobile applications, cloud solutions, and web services. This versatile platform caters to developers' needs across diverse application domains, facilitating seamless development and deployment processes.

Front End– HTML, CSS, Flask.

- **HTML** is extensively employed for formatting web pages, utilizing various tags within the HTML language. HTML, short for Hypertext Markup Language, serves as the markup code utilized to organize the structure of a webpage and its content. For instance, content may be organized within paragraphs, bullet-point lists, or through the integration of images and data tables.
- **CSS** is the acronym for "Cascading Style Sheet," functioning as the language employed to delineate the visual aspects of web pages, covering attributes like hues, arrangement, and typefaces. It enables the adjustment of appearance.

3.4 System Architecture




Fig 2: system

Architecture diagram

The proposed methodology for detecting diabetic retinopathy via image processing entails several key steps: assembling and preprocessing a diverse dataset of retinal images, creating image processing algorithms and a deep learning model for detecting retinopathy, training and validating the model, developing a user- friendly software interface, integrating the software with healthcare systems, thorough real-world testing and validation, adherence to regulatory requirements, training healthcare professionals, providing user support, and a commitment to continuous improvement through ongoing updates and enhancements to the model. This comprehensive approach aims to establish an efficient and accessible tool for early diabetic retinopathy detection, ultimately improving patient care and outcomes while adhering to healthcare regulations.

3.5 Working:

The process of detecting diabetic retinopathy via image processing entails several critical stages. It begins with inputting retinal images, which may vary in quality due to factors like lighting, contrast, and image acquisition conditions. Next, preprocessing techniques are applied to enhance image quality and minimize undesired variations. These methods involve tasks such as improving contrast, reducing noise, resizing, and standardization. Following pre-processing, image processing algorithms are utilized to drive pertinent Characteristics from the retinal image. These characteristics typically include crucial indicators like blood vessel patterns, haemorrhages, exudates, and microaneurysms. Once these features are extracted, a classification algorithm is employed to diagnose the presence and severity of diabetic retinopathy. This algorithm usually relies on a trained machine learning model, such as a

Convolutional Neural Network (CNN), which has been instructed to recognize patterns associated with retinopathy within the images.

The system's output typically includes a diagnostic outcome, indicating the stage of retinopathy, which may be categorized as "mild," "moderate," "severe," or "normal." Some systems may also provide a probability score associated with the diagnosis. Additionally, to aid comprehension and communication, the system can generate visual representations like annotated images highlighting detected abnormalities, which are valuable for healthcare professionals and patients alike.

4. RESULTS & DISCUSSION

In our investigation, our model has exhibited exceptional performance, achieving an accuracy rate surpassing 90% in the precise identification of diabetic retinopathy and its respective stages. Through the fusion of a custom designed Convolutional Neural Network (CNN) architecture, pre- trained models, and advanced image processing techniques, our approach has delivered superior results in disease classification. Notably, our model showcases proficiency in discerning various stages of diabetic retinopathy with accuracy, from early signs characterized by subtle anomalies like micro-aneurysms and retinal hemorrhages to more advanced stages marked by extensive retinal abnormalities and potential risks to vision health.

Furthermore, our model demonstrates efficacy in detecting proliferative diabetic retinopathy, the most severe stage associated with abnormal blood vessel growth on the retinal surface. Such findings underline the potential of our model as a crucial asset in identifying diseases at an early stage and management of it, offering promising

prospects for improving patient outcomes and safeguarding vision health among individuals with diabetes.




Fig 3: Backend python code




Fig 4: Front end




Fig 5: Uploading image on website

5. FUTURE IMPLEMENTATION

The prospective avenues for detecting diabetic retinopathy through CNNs entail numerous possibilities for advancement in technology and healthcare. Here are potential directions for further development:

1. **Enhanced Precision:** Continued research and development can concentrate on refining the accuracy and dependability of CNN models for diabetic retinopathy detection. This involves optimizing the architecture of CNNs, exploring innovative algorithms, and integrating advanced image processing techniques.
2. **Early Identification:** Efforts can be directed towards bolstering the ability of CNNs to recognize diabetic retinopathy at its nascent stages, facilitating prompt intervention and treatment. This could entail exploring additional markers or characteristics within retinal images indicative of early disease manifestation.
3. **Customized Healthcare:** Tailoring detection and treatment strategies for diabetic retinopathy to individual patient requirements and risk profiles represents a promising avenue. CNNs can be trained on diverse datasets to accommodate variations in demographics, genetics, and lifestyle factors, fostering more personalized and efficacious healthcare solutions.
4. **Telemedicine Integration:** The integration of CNN-based diabetic retinopathy detection systems with telemedicine platforms can enhance access to screening and diagnosis, particularly in underserved or remote areas. This may involve developing lightweight models optimized for deployment on mobile devices or cloud-based platforms.
5. **Multimodal Imaging:** Integrating information from diverse imaging approaches such as OCT technology and retinal photography, can augment the accuracy and depth of diabetic retinopathy diagnosis. CNNs can be adapted to process and amalgamate data from diverse imaging sources for comprehensive evaluation.
6. **Real-time Monitoring:** Developing CNN models capable of real-time monitoring of diabetic

Overall, the future trajectory of diabetic retinopathy detection through CNNs hinges on technological advancement, collaboration between researchers and healthcare practitioners, and a dedication to improving patient outcomes through innovative and accessible solutions.

6. CONCLUSION

The main aim of this survey is to evaluate a range of machine learning algorithms, including deep learning techniques, for the recognition of Retinal disease in diabetes and its corresponding stages. Extensive image processing methodologies have been employed to enhance the visibility of critical features such as exudates, blood vessels, and cotton wool spots within retinal images. Through a comprehensive analysis and comparison of different approaches, it is evident that CNN algorithms, when coupled with image processing techniques, offer significant potential in accurately Anticipating diabetic retinopathy. While conventional machine learning classifiers such as Support Vector Machine (SVM), Decision Tree (DT), Naïve Bayes (NB), and Random Forest (RF) have. proven insufficient in achieving precise image classification, CNNs have showcased superior performance. However, it is essential to note that the desired accuracy was only attained when leveraging image processing algorithms in conjunction with CNNs, effectively mitigating issues such as overfitting. Consequently, the model developed utilizing a custom CNN architecture, combined with pre-trained models and comprehensive image processing and augmentation strategies, successfully predicts the presence of diabetic retinopathy.

7. REFERENCES

1. Vaibhav V. Kamble, Rajendra D. Kokate "Automated diabetic retinopathy detection using radial basis function" Date of conference: - Oct 2019
2. M. Mohsin Butt, Ghazanfar Latif, D.N.F. Awang Iskandar, Jaafar Alghazo, Adil H. Khan (2019) - Multi-channel Convolutions Neural Network Based Diabetic. Retinopathy Detection from Fundus Images.
3. Yasashvini R, Vergin Raja Sarobin M, Rukmani Panjanathan, Graceline Jasmine S. and Jani Anbarasi L. Diabetic Retinopathy Classification Using CNN and Hybrid Deep Convolutional Neural Networks.16 Sept 2022

4. Nikos Tsiknakis: Deep learning for diabetic retinopathy detection and classification based on fundus images. 18 June 2021
5.] A. W. Stitt, T. M. Curtis, M. Chen, R. J. Medina, G. J. McKay, A. Jenkins, et al., "The progress in understanding and treatment of diabetic retinopathy," Progress in retinal and eye research, vol. 51, pp. 156- 186, 2016.
6. S. V. Joshi and R. D. Kanphade, "Deep Learning Based Person Authentication Using Hand Radiographs: A Forensic Approach," in IEEE Access, vol. 8, pp. 95424- 95434, 2020, doi: 10.1109/ACCESS.2020.2995788.
7. Joshi, S.V., Kanphade, R.D. (2020). Forensic Approach of Human Identification Using Dual Cross Pattern of Hand Radiographs. In: Abraham, A., Cherukuri, A., Melin, P., Gandhi, N. (eds) Intelligent Systems Design and Applications. ISDA 2018 2018. Advances in Intelligent Systems and Computing, vol 941. Springer, Cham. https://doi.org/10.1007/978-3-030-16660-1_105.
8. Anuradha D. Thakare, Rohini S Hanchate . Introducing Hybrid model for Data Clustering using K-Harmonic Means and Gravitational Search Algorithms. International Journal of Computer Applications. 88, 17 (February 2014), 17-23. DOI=10.5120/15445-4002
9. Anuradha D. Thakare, Rohini S Hanchate . Introducing Hybrid model for Data Clustering using K-Harmonic Means and Gravitational Search Algorithms. International Journal of Computer Applications. 88, 17 (February 2014), 17-23. DOI=10.5120/15445-4002
10. Prof. Pritam Ahire,Akanksha Kale,Kajal Pasalkar,Sneha Gujar,Nikita Gadhave, "ECG MONITORING SYSTEM", International Journal of Creative Research Thoughts (IJCRT), ISSN:2320- 2882, Volume.9, Issue 3, pp.407-412, March 2021, Available at <http://www.ijcrt.org/papers/IJCRT2103052.pdf>
11. LSTM based stock price prediction, P Ahire, H Lad, S Parekh, S Kabrawala - International Journal of Creative Research Thoughts, 2021.